

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair Coun	787	86.8	2.8	5.0	0.0	0.0	5.5	0.0
Allen Coun	943	92.4	1.7	4.1	0.0	0.4	1.4	0.0
Anderson C	639	85.6	2.3	4.9	0.0	1.7	5.5	0.0
Ashland-Bo	1,836	91.7	1.6	2.1	0.1	0.0	4.5	0.0
Ballard Co	301	86.7	6.3	1.3	0.0	1.3	4.3	0.0
Bar-Riv-Wa	3,544	60.8	13.1	18.9	0.1	4.0	3.2	0.0
Barren Cty	1,899	86.3	4.4	7.2	0.0	0.5	1.6	0.0
Bath Count	632	93.7	0.9	3.2	0.0	0.9	1.3	0.0
Belfry	495	96.6	0.6	1.2	0.0	0.4	1.2	0.0
Bell Cty M	908	98.5	1.2	0.3	0.0	0.0	0.0	0.0
Bell Cty P	1,075	94.9	2.8	1.2	0.0	0.3	0.8	0.0
Berea	782	90.3	4.7	4.5	0.0	0.1	0.4	0.0
Betsy Lane	685	96.9	0.6	1.0	0.0	0.0	1.5	0.0
Boone Coun	2,998	72.9	5.4	19.8	0.1	0.6	1.1	0.0
Bourbon Ct	786	69.8	7.1	20.1	0.1	0.3	2.5	0.0
Boyle Coun	986	80.3	12.0	6.7	0.0	0.2	0.8	0.0
Bracken Co	396	94.4	1.0	3.5	0.0	0.0	1.0	0.0
Breathitt	842	99.0	0.2	0.1	0.0	0.4	0.2	0.0
Breckinrid	759	90.8	4.0	1.1	0.0	0.3	4.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Bridges	675	16.6	68.3	4.7	0.0	2.7	7.7	0.0
Bullitt Co	1,928	91.9	0.8	2.8	0.1	0.8	3.7	0.0
Butler Cty	587	88.8	0.2	10.2	0.2	0.5	0.2	0.0
C & Y	2,003	1.8	96.1	1.1	0.2	0.7	0.0	0.0
Caldwell C	605	85.6	7.1	3.0	0.0	0.8	3.5	0.0
Calloway C	1,255	82.9	3.7	7.8	0.0	1.9	3.6	0.0
Campbell C	2,268	87.9	6.3	4.5	0.1	0.4	0.8	0.0
Carlisle C	250	90.4	0.8	3.6	0.8	1.2	3.2	0.0
Carroll Ct	690	75.1	1.0	19.9	0.1	0.3	3.6	0.0
Carter Cty	943	94.3	0.7	3.9	0.1	0.2	0.7	0.0
Casey Cty	699	87.8	0.0	11.2	0.0	0.1	0.9	0.0
Christian	2,751	51.8	37.3	5.7	0.1	0.9	4.3	0.0
Clark Coun	1,373	86.2	7.4	5.2	0.0	0.5	0.8	0.0
Clay Cty H	1,475	98.2	0.1	1.4	0.0	0.1	0.3	0.0
Clinton Ct	715	90.9	0.6	8.3	0.0	0.3	0.0	0.0
Corbin	1,598	97.7	0.5	1.7	0.0	0.1	0.1	0.0
Crittenden	366	95.9	1.6	1.1	0.0	0.0	1.4	0.0
Cumberland	373	95.4	3.5	1.1	0.0	0.0	0.0	0.0
Daviess Co	3,321	77.0	5.8	10.1	0.0	0.5	6.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Dixie	2,597	75.7	14.8	4.6	0.0	0.3	4.5	0.0
Edmonson C	496	95.0	0.0	2.0	0.0	0.0	3.0	0.0
Elliott Ct	465	98.7	0.0	0.9	0.0	0.0	0.4	0.0
Estill Cty	826	98.7	0.5	0.5	0.0	0.1	0.2	0.0
Etown	2,069	80.7	10.6	4.4	0.2	0.7	3.3	0.0
Evarts	49	*	*	*	*	*	*	*
Fairdale	1,267	76.0	6.4	10.6	0.3	3.8	2.9	0.0
Fleming Co	720	96.4	0.8	1.9	0.0	0.3	0.6	0.0
Floyd Cty	1,411	97.6	1.1	1.1	0.1	0.1	0.1	0.0
Foust Hlth	362	56.9	27.1	7.2	0.0	0.0	8.8	0.0
Franklin C	1,689	71.0	14.8	8.2	0.1	1.4	4.4	0.0
Ft Campbel	2,924	65.4	14.9	12.0	0.3	2.9	4.4	0.0
Fulton	251	54.2	34.3	1.2	0.0	0.4	10.0	0.0
Gallatin C	588	79.3	1.0	17.5	0.0	0.0	2.2	0.0
Garrard Ct	756	89.0	2.2	5.2	0.3	0.3	3.0	0.0
Grant Cty	1,460	93.0	0.8	4.9	0.0	0.1	1.1	0.0
Graves Cty	1,803	63.8	8.6	22.9	0.1	0.1	4.5	0.0
Grayson Ct	1,312	94.9	1.1	2.7	0.2	0.4	0.7	0.0
Green Cty	557	94.1	2.2	2.3	0.0	0.0	1.4	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Greenup	1,030	96.2	0.9	0.8	0.0	0.9	1.3	0.0
Hancock Ct	329	89.4	0.6	4.0	0.3	0.9	4.9	0.0
Harlan Cty	1,589	92.8	1.7	2.2	0.0	0.0	3.3	0.0
Harrison C	832	89.1	1.7	7.1	0.2	0.0	1.9	0.0
Hart Cty H	817	88.6	4.7	2.2	0.0	0.1	4.4	0.0
Henderson	1,790	79.3	11.2	3.9	0.0	0.7	4.9	0.0
Henry Coun	568	86.6	3.3	5.8	0.0	3.2	1.1	0.0
Hickman	211	49.8	37.9	1.9	0.0	0.5	10.0	0.0
Hickman Ct	185	71.9	14.1	3.8	0.0	0.0	10.3	0.0
Highview	1,809	62.6	14.0	20.5	0.1	0.4	2.3	0.0
Hindman	868	98.3	0.5	0.5	0.0	0.5	0.3	0.0
Hopkins Ct	2,182	75.7	9.4	3.9	0.0	0.5	10.5	0.0
Hospital	1,298	88.2	6.0	4.5	0.1	0.5	0.6	0.0
Iroquois	2,811	34.5	35.7	21.6	0.1	2.7	5.4	0.0
Jackson Ct	738	97.4	0.3	1.9	0.0	0.1	0.3	0.0
Jessamine	2,091	83.4	4.5	7.6	0.0	1.0	3.5	0.0
Johnson Co	1,278	98.4	0.2	0.2	0.0	0.5	0.7	0.0
JT Arnett	102	98.0	1.0	1.0	0.0	0.0	0.0	0.0
Kenton Cty	3,589	76.7	13.3	7.1	0.1	0.8	2.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Knox Cty	2,107	97.9	1.3	0.5	0.0	0.1	0.2	0.0
L & N	2,265	20.4	74.9	1.9	0.1	1.1	1.5	0.0
Larue Cty	677	81.4	2.1	12.0	0.0	0.0	4.6	0.0
Laurel Cty	2,443	97.9	0.8	0.6	0.1	0.3	0.3	0.0
Lawrence C	821	98.5	0.2	0.1	0.0	0.0	1.1	0.0
Lee Cty He	401	97.0	1.2	1.5	0.0	0.0	0.2	0.0
Leslie Cty	711	96.9	0.3	0.7	0.0	0.0	2.1	0.0
Letcher Ct	1,139	98.8	0.7	0.4	0.0	0.0	0.1	0.0
Lewis Cty	735	98.0	0.1	0.7	0.1	0.3	0.8	0.0
Lex-Fay40C	2,816	30.5	17.4	49.5	0.1	1.3	1.2	0.0
Lex-Fay40D	1,502	39.8	46.4	7.9	0.4	1.1	4.4	0.0
Lex-Fay40F	1,774	50.5	24.2	16.0	0.2	1.2	7.8	0.0
Lex-Fay40G	1,031	38.0	24.6	24.2	0.1	1.6	11.5	0.0
Lex-Fay40W	1,104	21.6	29.2	47.4	0.0	0.5	1.4	0.0
Lincoln Ct	1,099	93.9	1.5	3.1	0.0	0.2	1.3	0.0
Livingston	366	95.4	1.1	2.2	0.0	0.0	1.4	0.0
Logan Cty	1,054	78.1	11.7	6.5	0.2	0.0	3.5	0.0
Lynch	370	89.5	4.9	0.8	0.0	0.0	4.9	0.0
Lyon Cty	233	94.8	2.6	0.0	0.0	0.4	2.1	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Magoffin C	794	98.2	0.3	1.0	0.0	0.0	0.5	0.0
Marion Cty	1,000	80.6	10.1	9.1	0.0	0.2	0.0	0.0
Marshal90A	1,120	98.6	0.6	0.5	0.0	0.1	0.2	0.0
Marshal90B	74	*	*	*	*	*	*	*
Martin Cty	813	98.8	0.1	0.6	0.0	0.0	0.5	0.0
Mason Cty	797	81.3	8.9	4.3	0.4	0.5	4.6	0.0
McCracken	2,428	58.8	28.9	5.4	0.0	0.6	6.3	0.0
McCreary C	1,208	97.5	0.2	1.7	0.0	0.0	0.6	0.0
McLean Ct	419	91.6	0.0	6.0	0.0	0.0	2.4	0.0
Meade Cty	879	90.6	1.9	2.8	0.0	0.0	4.7	0.0
Menifee Ct	398	97.7	0.5	1.0	0.0	0.5	0.3	0.0
Mercer Cty	884	87.7	3.5	7.1	0.0	0.3	1.4	0.0
Metcalfe C	449	96.7	2.0	0.7	0.0	0.7	0.0	0.0
Middletown	1,585	61.3	17.6	15.1	0.1	1.3	4.5	0.0
Monroe Cnt	510	85.7	3.9	9.2	0.0	0.0	1.2	0.0
Montgomery	1,426	92.6	0.9	5.4	0.0	0.1	0.9	0.0
Morgan Cty	713	99.3	0.1	0.1	0.0	0.0	0.4	0.0
Muhlenberg	1,302	90.8	3.3	1.8	0.0	0.1	4.0	0.0
Neighorho	1,564	59.0	29.2	4.7	0.1	3.7	3.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Nelson Cty	1,574	80.7	7.5	5.6	0.1	0.2	6.0	0.0
Newburg	2,490	30.1	46.0	17.2	0.0	1.5	5.1	0.0
Nicholas C	346	93.1	0.6	5.5	0.0	0.0	0.9	0.0
Oasis Hlth	217	69.6	16.1	6.5	0.0	0.5	7.4	0.0
Ohio Cty	1,287	82.1	0.7	16.6	0.1	0.2	0.4	0.0
Oldham Cty	968	69.4	4.5	22.9	0.0	0.7	2.4	0.0
Olive Hill	744	94.6	0.1	4.7	0.0	0.3	0.3	0.0
Owen Cty	392	90.1	0.3	8.2	0.0	0.0	1.5	0.0
Owsley Cty	312	97.8	0.6	0.3	0.0	0.0	1.3	0.0
Park Duval	2,167	10.7	68.3	17.7	0.0	1.7	1.6	0.0
Pendleton	505	95.6	1.0	2.6	0.0	0.2	0.6	0.0
Perry Cty	1,524	95.8	2.1	0.7	0.0	0.3	1.0	0.0
Phelps	164	98.8	1.2	0.0	0.0	0.0	0.0	0.0
Pike Cty	2,080	98.4	0.6	0.7	0.0	0.2	0.0	0.0
Portland	1,513	42.0	47.9	3.7	0.0	1.8	4.6	0.0
Powell Cty	772	96.4	1.3	1.6	0.3	0.5	0.0	0.0
Pulaski Ct	2,959	90.8	1.6	7.0	0.0	0.3	0.3	0.0
Radcliffe	2,207	56.7	19.8	12.6	0.2	1.6	9.1	0.0
Richmond	2,093	80.4	7.0	6.3	0.1	1.0	5.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 5 / 11 / 09

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Robertson	169	95.9	0.0	3.6	0.0	0.0	0.6	0.0
Rockcastle	950	97.9	0.2	1.1	0.0	0.1	0.7	0.0
Rowan Cty	1,003	96.9	1.2	0.4	0.0	1.5	0.0	0.0
Russell Ct	958	87.2	0.4	11.3	0.0	0.6	0.5	0.0
Scott Cty	1,375	79.3	7.1	11.5	0.0	1.9	0.2	0.0
Shelby Cty	1,374	47.2	8.1	39.6	0.1	3.3	1.8	0.0
Simpson Ct	721	79.5	11.9	4.6	0.0	0.1	3.9	0.0
South Shor	230	97.4	0.0	0.0	0.0	0.0	2.6	0.0
Spencer Ct	468	86.1	1.3	10.3	0.0	0.4	1.9	0.0
TAPP-South	91	*	*	*	*	*	*	*
TAPP-West	102	25.5	59.8	13.7	0.0	0.0	1.0	0.0
Taylor Cty	1,062	83.2	4.3	4.0	0.0	0.1	8.4	0.0
Todd Cty H	661	70.3	12.9	11.6	0.0	1.8	3.3	0.0
Trigg Cty	543	79.7	12.0	1.8	0.2	0.6	5.7	0.0
Trimble Ct	354	93.5	0.6	2.0	0.3	2.5	1.1	0.0
Union Cty	619	83.0	9.0	1.0	0.0	0.0	6.9	0.0
Washington	451	73.4	8.2	14.0	0.0	0.0	4.4	0.0
Wayne Cty	1,180	86.0	1.3	11.9	0.0	0.1	0.7	0.0
Webster Ct	564	76.1	2.5	18.1	0.4	0.4	2.7	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Clinic								
Clinic	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Wheelbrigh	368	98.4	1.1	0.5	0.0	0.0	0.0	0.0
Williamsbu	1,457	98.0	0.8	0.8	0.1	0.3	0.0	0.0
Wolfe Cty	594	98.1	0.0	1.2	0.0	0.0	0.7	0.0
Woodford C	821	55.7	6.1	31.1	0.0	1.2	6.0	0.0
Unknown Clinics	30	*	*	*	*	*	*	*
Kentucky	172,357	76.4	11.8	8.2	0.1	0.8	2.7	0.0
Nation (Prior Year)	7,995,600	31.6	19.4	40.9	1.0	2.5	1.8	2.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair Coun	787	41.0	19.3	39.6
Allen Coun	943	40.0	18.7	41.4
Anderson C	639	43.3	19.7	36.9
Ashland-Bo	1,836	45.1	19.6	35.3
Ballard Co	301	43.9	22.3	33.9
Bar-Riv-Wa	3,544	45.8	19.2	35.0
Barren Cty	1,899	45.1	18.7	36.1
Bath Count	632	39.4	20.4	40.2
Belfry	495	42.8	18.4	38.8
Bell Cty M	908	34.4	19.6	46.0
Bell Cty P	1,075	36.4	18.8	44.8
Berea	782	43.0	20.1	37.0
Betsy Lane	685	38.2	15.0	46.7
Boone Coun	2,998	41.4	22.3	36.4
Bourbon Ct	786	46.2	20.0	33.8
Boyle Coun	986	44.2	21.7	34.1
Bracken Co	396	44.9	17.4	37.6
Breathitt	842	34.9	20.1	45.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Breckinrid	759	41.8	15.9	42.3
Bridges	675	37.9	19.6	42.5
Bullitt Co	1,928	45.2	20.3	34.5
Butler Cty	587	37.5	20.6	41.9
C & Y	2,003	51.8	19.7	28.5
Caldwell C	605	43.6	20.3	36.0
Calloway C	1,255	43.6	20.2	36.3
Campbell C	2,268	41.0	22.6	36.5
Carlisle C	250	41.2	14.4	44.4
Carroll Ct	690	47.1	18.3	34.6
Carter Cty	943	39.6	19.7	40.7
Casey Cty	699	38.3	19.9	41.8
Christian	2,751	47.4	18.5	34.0
Clark Coun	1,373	44.4	20.6	35.0
Clay Cty H	1,475	39.0	18.9	42.1
Clinton Ct	715	37.6	22.7	39.7
Corbin	1,598	43.1	18.5	38.4
Crittenden	366	37.7	21.6	40.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Cumberland	373	34.9	23.9	41.3
Daviess Co	3,321	47.5	18.3	34.2
Dixie	2,597	49.2	18.7	32.1
Edmonson C	496	43.5	16.5	39.9
Elliott Ct	465	38.1	18.1	43.9
Estill Cty	826	38.3	18.8	43.0
Etown	2,069	43.0	18.9	38.1
Evarts	49	*	*	*
Fairdale	1,267	46.7	22.1	31.2
Fleming Co	720	35.1	21.1	43.8
Floyd Cty	1,411	41.5	19.7	38.8
Foust Hlth	362	32.9	21.3	45.9
Franklin C	1,689	44.2	20.0	35.8
Ft Campbel	2,924	43.8	16.3	39.9
Fulton	251	38.2	20.3	41.4
Gallatin C	588	37.6	24.1	38.3
Garrard Ct	756	42.2	19.3	38.5
Grant Cty	1,460	38.0	21.4	40.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Graves Cty	1,803	40.2	20.7	39.0
Grayson Ct	1,312	35.1	21.4	43.4
Green Cty	557	40.0	19.7	40.2
Greenup	1,030	44.2	19.7	36.1
Hancock Ct	329	38.0	18.8	43.2
Harlan Cty	1,589	40.3	18.0	41.7
Harrison C	832	40.7	20.7	38.6
Hart Cty H	817	43.2	18.4	38.4
Henderson	1,790	49.2	18.5	32.2
Henry Coun	568	42.1	20.2	37.7
Hickman	211	38.4	23.2	38.4
Hickman Ct	185	42.2	22.7	35.1
Highview	1,809	46.3	19.3	34.3
Hindman	868	41.9	18.9	39.2
Hopkins Ct	2,182	45.5	16.9	37.7
Hospital	1,298	100.0	0.0	0.0
Iroquois	2,811	46.8	19.5	33.7
Jackson Ct	738	37.8	19.8	42.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Jessamine	2,091	44.0	19.8	36.3
Johnson Co	1,278	41.2	16.4	42.4
JT Arnett	102	25.5	18.6	55.9
Kenton Cty	3,589	45.1	22.4	32.5
Knox Cty	2,107	39.6	18.1	42.3
L & N	2,265	48.3	21.3	30.4
Larue Cty	677	40.5	19.5	40.0
Laurel Cty	2,443	43.2	18.1	38.7
Lawrence C	821	39.8	21.2	39.0
Lee Cty He	401	34.4	17.0	48.6
Leslie Cty	711	39.2	19.4	41.4
Letcher Ct	1,139	45.6	18.0	36.4
Lewis Cty	735	36.3	19.2	44.5
Lex-Fay40C	2,816	41.9	20.0	38.1
Lex-Fay40D	1,502	46.1	21.2	32.8
Lex-Fay40F	1,774	45.8	18.6	35.6
Lex-Fay40G	1,031	44.2	22.1	33.7
Lex-Fay40W	1,104	42.3	17.9	39.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Ct	1,099	40.0	19.7	40.2
Livingston	366	34.7	19.4	45.9
Logan Cty	1,054	41.1	21.4	37.5
Lynch	370	45.9	13.2	40.8
Lyon Cty	233	39.9	20.6	39.5
Magoffin C	794	36.1	17.4	46.5
Marion Cty	1,000	42.4	19.4	38.2
Marshall90A	1,120	41.0	19.6	39.4
Marshall90B	74	*	*	*
Martin Cty	813	42.6	15.7	41.7
Mason Cty	797	46.4	22.7	30.9
McCracken	2,428	42.6	19.5	37.9
McCreary C	1,208	35.2	18.5	46.3
McLean Ct	419	32.5	22.4	45.1
Meade Cty	879	42.5	20.0	37.4
Menifee Ct	398	35.9	17.3	46.7
Mercer Cty	884	38.1	19.1	42.8
Metcalf C	449	37.0	17.8	45.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Middletown	1,585	42.0	22.8	35.3
Monroe Cnt	510	37.6	21.0	41.4
Montgomery	1,426	40.7	21.3	38.0
Morgan Cty	713	37.3	16.3	46.4
Muhlenberg	1,302	41.2	19.2	39.6
Neighborho	1,564	48.1	19.4	32.5
Nelson Cty	1,574	41.8	20.3	37.9
Newburg	2,490	47.3	21.4	31.4
Nicholas C	346	43.6	16.5	39.9
Oasis Hlth	217	32.3	18.0	49.8
Ohio Cty	1,287	40.1	19.6	40.3
Oldham Cty	968	41.7	19.0	39.3
Olive Hill	744	36.8	20.3	42.9
Owen Cty	392	42.6	18.4	39.0
Owsley Cty	312	36.2	15.1	48.7
Park Duval	2,167	41.3	23.6	35.1
Pendleton	505	46.3	18.0	35.6
Perry Cty	1,524	45.1	18.2	36.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Phelps	164	46.3	23.2	30.5
Pike Cty	2,080	44.8	19.1	36.1
Portland	1,513	46.5	20.6	32.9
Powell Cty	772	38.1	19.2	42.7
Pulaski Ct	2,959	44.0	19.3	36.7
Radcliffe	2,207	40.6	19.8	39.6
Richmond	2,093	46.5	19.3	34.2
Robertson	169	47.9	16.0	36.1
Rockcastle	950	39.9	17.9	42.2
Rowan Cty	1,003	42.5	18.9	38.6
Russell Ct	958	43.1	19.2	37.7
Scott Cty	1,375	44.9	19.3	35.7
Shelby Cty	1,374	39.2	22.8	38.0
Simpson Ct	721	46.9	20.8	32.3
South Shor	230	37.4	13.5	49.1
Spencer Ct	468	34.8	23.5	41.7
TAPP-South	91	*	*	*
TAPP-West	102	68.6	22.5	8.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5A
2008 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Clinic
Children Aged < 5 Years ⁽²⁾

Page: 9
Run Date: 5 / 11 / 09

Comparison of Age Distribution by Clinic				
Clinic	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Taylor Cty	1,062	46.0	18.3	35.8
Todd Cty H	661	39.2	18.9	41.9
Trigg Cty	543	41.6	17.1	41.3
Trimble Ct	354	38.4	21.5	40.1
Union Cty	619	43.6	19.4	37.0
Washington	451	35.3	17.1	47.7
Wayne Cty	1,180	39.1	19.7	41.3
Webster Ct	564	40.6	22.7	36.7
Wheelbrigh	368	38.0	20.4	41.6
Williamsbu	1,457	41.0	17.7	41.2
Wolfe Cty	594	34.5	17.8	47.6
Woodford C	821	40.7	19.2	40.1
Unknown Clinics	30	*	*	*
Kentucky	172,357	43.1	19.5	37.4
Nation (Prior Year)	7,995,600	37.6	22.1	40.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Adair Coun	194	6.7 (19)	7.2 (92)	761	4.6 (42)	6.3 (72)	9.9 (20)	301	11.0 (11)	15.3 (60)	461 9.1 (53)
Allen Coun	245	6.9 (20)	6.9 (81)	925	5.5 (75)	7.1 (97)	9.4 (14)	400	11.8 (14)	12.8 (28)	416 17.1 (121)
Anderson C	163	11.7 (94)	5.5 (52)	608	6.6(100)	6.7 (82)	13.5 (82)	230	27.0(143)	19.6(116)	388 13.9(105)
Ashland-Bo	470	13.2 (113)	5.1 (40)	1,769	3.3 (15)	10.7(138)	8.7 (9)	642	16.4 (59)	15.6 (68)	1,034 19.9(133)
Ballard Co	92	* *	* *	273	9.2(133)	4.4 (35)	15.4(114)	99	* *	* *	180 9.4 (61)
Bar-Riv-Wa	812	11.9 (98)	5.8 (59)	3,379	5.2 (67)	7.5(104)	12.4 (61)	1,219	18.5(100)	18.0 (99)	2,001 18.6(126)
Barren Cty	520	11.5 (88)	6.2 (68)	1,828	4.8 (53)	5.6 (60)	11.9 (48)	671	16.5 (60)	18.5(108)	1,043 8.8 (51)
Bath Count	134	13.4 (116)	6.7 (77)	595	9.9(139)	6.2 (70)	19.0(142)	240	20.8(130)	22.9(137)	386 11.1 (79)
Belfry	131	10.7 (73)	5.3 (45)	460	2.4 (4)	11.7(141)	9.6 (16)	174	16.7 (70)	15.5 (65)	258 7.8 (41)
Bell Cty M	198	18.2 (123)	3.5 (13)	853	6.3 (90)	3.0 (14)	17.5(130)	397	14.6 (28)	20.7(127)	619 2.6 (4)
Bell Cty P	233	10.7 (73)	6.0 (61)	1,018	6.7(101)	3.8 (26)	14.6(103)	463	18.4 (98)	18.4(106)	727 3.3 (6)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Berea	200	7.5 (28)	7.0 (86)	765	4.4 (35)	8.4(120)	9.7 (19)	285	14.4 (26)	16.1 (76)	489 3.9 (9)
Betsy Lane	176	11.4 (86)	4.0 (16)	631	2.5 (6)	12.8(148)	7.3 (5)	289	8.0 (3)	9.0 (5)	416 5.3 (19)
Boone Coun	600	12.3 (105)	7.5 (98)	2,868	6.7(101)	5.9 (66)	13.3 (77)	1,062	16.0 (53)	13.9 (42)	1,794 14.3 (108)
Bourbon Ct	250	6.0 (11)	6.0 (61)	742	6.2 (88)	5.3 (52)	17.5(130)	247	23.5(139)	20.2(121)	460 9.3 (57)
Boyle Coun	242	11.2 (84)	8.3 (104)	952	5.8 (81)	5.7 (63)	13.4 (79)	332	14.5 (27)	13.0 (29)	550 13.1 (95)
Bracken Co	95	* *	* *	384	7.6(118)	11.7(141)	12.2 (56)	141	33.3(144)	18.4(106)	244 5.7 (24)
Breathitt	180	8.9 (54)	4.4 (26)	777	4.6 (42)	4.4 (35)	17.5(130)	364	15.1 (35)	17.3 (91)	533 7.3 (36)
Breckinrid	187	9.1 (58)	5.9 (60)	735	5.0 (62)	2.2 (6)	11.2 (34)	317	15.5 (44)	12.6 (27)	483 7.5 (38)
Bridges	127	10.2 (70)	6.3 (71)	644	5.3 (69)	5.3 (52)	14.9(106)	278	17.3 (81)	15.5 (65)	396 19.2 (132)
Bullitt Co	505	8.3 (44)	6.5 (75)	1,861	5.6 (78)	4.4 (35)	13.6 (85)	667	18.7(104)	15.7 (70)	1,046 10.5 (70)
Butler Cty	129	10.1 (68)	5.4 (49)	573	4.2 (27)	6.6 (80)	15.0(108)	241	19.1(107)	21.6(132)	375 8.0 (44)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
C & Y	543	13.8 (118)	2.4 (4)	1,867	6.3 (90)	6.5 (78)	13.2 (72)	544	18.4 (98)	16.5 (81)	1,039 32.4 (148)
Caldwell C	181	8.8 (51)	4.4 (26)	582	4.8 (53)	7.7(109)	12.9 (66)	213	14.6 (28)	13.6 (37)	339 12.1 (89)
Calloway C	349	6.6 (18)	9.7 (117)	1,212	4.0 (24)	4.7 (46)	12.4 (61)	444	18.0 (92)	12.2 (19)	710 8.2 (46)
Campbell C	390	12.8 (109)	6.9 (81)	2,118	4.6 (42)	7.2(100)	9.0 (11)	805	10.4 (9)	9.2 (8)	1,333 16.0 (113)
Carlisle C	69	* *	* *	231	3.9 (23)	2.6 (10)	14.3 (99)	104	23.1(138)	18.3(105)	148 20.3 (134)
Carroll Ct	213	7.5 (28)	6.1 (65)	672	5.4 (71)	7.6(107)	11.8 (45)	241	19.1(107)	20.7(127)	399 13.3 (97)
Carter Cty	209	15.3 (119)	6.7 (77)	894	3.4 (17)	11.2(140)	13.0 (67)	363	17.9 (89)	18.7(110)	551 9.1 (53)
Casey Cty	157	10.8 (76)	7.0 (86)	667	7.0(110)	6.7 (82)	11.4 (37)	283	13.4 (19)	15.2 (59)	409 8.8 (51)
Christian	688	11.6 (93)	3.1 (9)	2,593	4.8 (53)	5.4 (55)	10.6 (26)	919	17.5 (85)	14.3 (45)	1,448 18.2 (123)
Clark Coun	363	5.8 (7)	6.9 (81)	1,319	5.1 (65)	4.2 (33)	15.7(117)	476	20.4(125)	19.1(112)	760 9.9 (62)
Clay Cty H	379	8.4 (46)	7.4 (94)	1,418	4.2 (27)	7.5(104)	14.1 (95)	598	20.2(122)	21.2(130)	948 4.0 (10)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Clinton Ct	153	11.1 (81)	4.6 (29)	684	4.7 (49)	7.2(100)	15.5(116)	280	20.7(129)	21.8(133)	422 5.9 (26)
Corbin	432	9.3 (60)	5.3 (45)	1,538	6.1 (87)	8.0(113)	13.2 (72)	592	19.3(111)	19.1(112)	966 14.0(106)
Crittenden	83	* *	* *	345	4.9 (59)	4.6 (44)	13.0 (67)	146	18.5(100)	13.0 (29)	251 20.7(136)
Cumberland	78	* *	* *	364	4.7 (49)	8.2(114)	12.1 (53)	147	21.8(134)	20.4(122)	243 11.5 (83)
Daviess Co	960	5.0 (3)	8.3(104)	3,229	8.9(130)	5.0 (49)	13.1 (70)	1,127	18.3 (96)	15.8 (74)	1,799 9.3 (57)
Dixie	684	9.4 (62)	7.2 (92)	2,476	6.4 (92)	6.8 (87)	12.3 (57)	804	9.6 (7)	8.8 (4)	1,310 10.1 (64)
Edmonson C	101	7.9 (35)	3.0 (8)	486	2.9 (8)	8.2(114)	11.7 (42)	195	16.9 (74)	17.4 (93)	304 3.6 (7)
Elliott Ct	106	4.7 (1)	3.8 (14)	453	2.9 (8)	8.4(120)	11.0 (32)	196	17.9 (89)	13.8 (41)	261 18.8(128)
Estill Cty	186	8.6 (48)	4.8 (34)	804	4.6 (42)	4.5 (42)	11.8 (45)	342	15.8 (51)	19.0(111)	512 9.2 (55)
Etown	492	7.1 (23)	5.7 (55)	2,001	9.7(136)	3.0 (14)	17.5(130)	775	16.0 (53)	16.6 (84)	1,259 7.5 (38)
Evarts	0	* *	* *	46	* *	* *	* *	10	* *	* *	26 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Fairdale	299	10.4 (71)	7.4 (94)	1,211	4.5 (39)	4.8 (48)	14.3 (99)	382	18.3 (96)	15.4 (63)	736 13.2 (96)
Fleming Co	169	6.5 (15)	9.5 (114)	691	6.8(105)	11.0(139)	15.1(110)	313	11.5 (13)	18.5(108)	463 16.8(118)
Floyd Cty	386	10.1 (68)	4.1 (18)	1,350	6.8(105)	6.4 (77)	11.6 (41)	547	13.0 (17)	14.3 (45)	824 7.2 (34)
Foust Hlth	78	* *	* *	347	4.6 (42)	3.7 (21)	15.3(111)	167	18.6(102)	20.4(122)	258 13.6(101)
Franklin C	389	11.3 (85)	4.4 (26)	1,615	11.3(147)	5.4 (55)	16.2(122)	587	20.6(128)	20.6(124)	979 18.7(127)
Ft Campbel	563	5.9 (10)	9.2(112)	2,829	3.3 (15)	10.5(137)	6.6 (2)	1,152	9.7 (8)	5.6 (1)	1,710 29.0(145)
Fulton	66	* *	* *	233	5.2 (67)	9.0(126)	14.2 (97)	105	20.0(119)	18.1(102)	162 19.1(131)
Gallatin C	123	4.9 (2)	10.6(123)	572	4.5 (39)	7.7(109)	17.1(127)	223	21.1(132)	23.3(140)	394 18.8(128)
Garrard Ct	176	11.9 (98)	5.7 (55)	721	5.1 (65)	4.4 (35)	13.0 (67)	292	15.8 (51)	16.1 (76)	434 15.4(112)
Grant Cty	320	7.8 (33)	6.9 (81)	1,399	3.7 (19)	5.9 (66)	9.0 (11)	586	17.7 (86)	11.3 (14)	948 11.5 (83)
Graves Cty	491	8.4 (46)	6.5 (75)	1,729	5.4 (71)	10.2(134)	13.8 (88)	693	20.5(126)	16.9 (87)	1,069 18.3(124)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 6
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Grayson Ct	246	10.6 (72)	5.3 (45)	1,276	7.3(114)	5.0 (49)	13.4 (79)	569	17.8 (88)	14.6 (50)	853 6.0 (27)
Green Cty	142	6.3 (13)	7.7(100)	549	4.2 (27)	4.7 (46)	11.8 (45)	217	20.3(123)	18.0 (99)	322 14.6(110)
Greenup	269	10.8 (76)	6.7 (77)	997	3.2 (12)	11.8(143)	11.3 (36)	367	14.7 (30)	19.1(112)	564 6.0 (27)
Hancock Ct	68	* *	* *	321	6.9(109)	1.9 (4)	14.0 (90)	137	26.3(141)	15.3 (60)	221 8.6 (49)
Harlan Cty	427	13.3 (114)	9.6(115)	1,518	4.8 (53)	9.8(130)	15.3(111)	645	21.9(135)	23.1(139)	749 10.4 (68)
Harrison C	188	13.3 (114)	4.3 (25)	789	4.4 (35)	4.2 (33)	11.9 (48)	313	18.2 (95)	11.8 (16)	488 12.9 (93)
Hart Cty H	203	6.9 (20)	8.4(108)	792	4.3 (33)	7.1 (97)	11.2 (34)	307	13.0 (17)	17.3 (91)	484 10.3 (67)
Henderson	515	11.5 (88)	3.1 (9)	1,760	6.0 (85)	10.1(133)	8.3 (7)	581	11.0 (11)	15.0 (57)	891 2.0 (2)
Henry Coun	143	5.6 (5)	7.0 (86)	542	10.7(143)	7.4(103)	18.1(135)	212	16.5 (60)	17.0 (89)	363 16.3(115)
Hickman	46	* *	* *	198	10.1(140)	7.6(107)	15.7(117)	85	* *	* *	137 21.2(137)
Hickman Ct	64	* *	* *	177	7.3(114)	10.2(134)	19.8(143)	61	* *	* *	109 10.1 (64)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Highview	436	11.9 (98)	5.7 (55)	1,695	7.8(121)	5.6 (60)	17.0(126)	611	13.6 (21)	11.8 (16)	909 21.3 (138)
Hindman	237	19.8 (124)	3.4 (11)	798	14.3(151)	3.5 (20)	22.4(149)	324	15.1 (35)	22.5(134)	554 5.6 (22)
Hopkins Ct	539	10.8 (76)	4.8 (34)	2,088	7.6(118)	3.3 (19)	12.6 (65)	813	19.8(116)	15.7 (70)	1,320 10.5 (70)
Hospital	1,287	7.2 (24)	6.0 (61)	1,168	0.5 (1)	13.2(150)	2.7 (1)	0	* *	* *	0 * *
Iroquois	695	8.9 (54)	5.3 (45)	2,644	3.1 (11)	5.5 (59)	11.7 (42)	927	19.6(114)	12.4 (23)	1,582 14.0 (106)
Jackson Ct	167	7.2 (24)	9.6 (115)	710	3.2 (12)	6.1 (69)	13.2 (72)	317	15.5 (44)	17.7 (96)	503 4.8 (16)
Jessamine	504	6.5 (15)	6.2 (68)	2,008	6.0 (85)	6.2 (70)	10.4 (24)	736	17.0 (77)	12.2 (19)	1,201 10.5 (70)
Johnson Co	360	11.4 (86)	5.0 (37)	1,227	7.3(114)	5.6 (60)	17.1(127)	519	18.7(104)	19.8(117)	753 10.8 (75)
JT Arnett	12	* *	* *	101	3.0 (10)	3.0 (14)	18.8(140)	59	* *	* *	68 * *
Kenton Cty	544	10.7 (73)	6.1 (65)	3,397	5.5 (75)	5.9 (66)	10.9 (31)	1,145	17.9 (89)	14.7 (53)	1,968 11.1 (79)
Knox Cty	446	11.0 (80)	5.4 (49)	2,017	4.3 (33)	7.1 (97)	14.3 (99)	867	15.6 (48)	20.9(129)	1,349 8.1 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 8
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
L & N	539	15.8 (120)	4.1 (18)	2,128	5.6 (78)	6.8 (87)	11.5 (40)	664	21.7(133)	16.4 (80)	1,224 13.5 (99)
Larue Cty	156	12.8 (109)	10.3 (120)	639	7.0 (110)	3.9 (28)	21.0 (145)	272	19.1 (107)	20.6 (124)	454 18.5 (125)
Laurel Cty	608	8.2 (42)	10.5 (122)	2,358	4.6 (42)	7.0 (93)	13.2 (72)	936	17.0 (77)	18.1 (102)	1,418 5.1 (18)
Lawrence C	206	23.8 (126)	3.9 (15)	781	5.4 (71)	10.2 (134)	14.0 (90)	310	19.4 (112)	20.6 (124)	487 10.5 (70)
Lee Cty He	70	* *	* *	385	4.7 (49)	6.8 (87)	9.1 (13)	188	10.6 (10)	9.0 (5)	257 13.6 (101)
Leslie Cty	148	8.1 (40)	8.8 (110)	661	4.4 (35)	13.5 (151)	12.3 (57)	276	8.7 (4)	6.5 (2)	398 14.8 (111)
Letcher Ct	298	11.7 (94)	5.4 (49)	1,098	10.9 (145)	2.4 (9)	18.5 (138)	408	18.1 (94)	17.9 (97)	598 2.0 (2)
Lewis Cty	177	9.0 (57)	5.6 (53)	710	5.8 (81)	12.0 (145)	13.2 (72)	324	12.7 (16)	15.7 (70)	486 4.7 (15)
Lex-Fay40C	693	6.9 (20)	7.4 (94)	2,668	6.2 (88)	5.4 (55)	15.7 (117)	1,027	18.6 (102)	22.7 (135)	1,580 25.4 (141)
Lex-Fay40D	359	10.0 (67)	4.2 (23)	1,436	6.7 (101)	7.0 (93)	11.1 (33)	482	16.6 (65)	12.4 (23)	790 28.6 (144)
Lex-Fay40F	496	11.5 (88)	6.0 (61)	1,715	7.1 (112)	7.8 (111)	10.6 (26)	614	19.1 (107)	14.0 (43)	870 23.1 (139)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Lex-Fay40G	246	9.8 (66)	4.1 (18)	963	6.5 (95)	8.3(116)	14.1 (95)	325	20.3(123)	20.0(119)	556 29.3 (146)
Lex-Fay40W	251	7.2 (24)	11.6 (124)	1,030	16.1(152)	7.3(102)	15.9(120)	422	19.9(118)	18.2(104)	251 27.1 (142)
Lincoln Ct	257	8.2 (42)	7.0 (86)	1,063	4.2 (27)	6.5 (78)	12.0 (51)	433	16.6 (65)	13.4 (35)	722 13.4 (98)
Livingston	82	* *	* *	352	8.0(124)	1.7 (1)	21.0(145)	160	21.9(135)	11.3 (14)	240 4.6 (13)
Logan Cty	250	8.8 (51)	2.0 (1)	1,017	5.4 (71)	6.8 (87)	13.1 (70)	389	15.4 (41)	20.1(120)	588 24.1 (140)
Lynch	116	20.7 (125)	5.2 (43)	350	8.6(128)	6.6 (80)	10.0 (22)	135	20.0(119)	15.6 (68)	201 8.5 (48)
Lyon Cty	57	* *	* *	221	10.4(142)	2.3 (7)	23.5(151)	87	* *	* *	161 4.3 (11)
Magoffin C	178	7.9 (35)	5.1 (40)	740	10.8(144)	6.8 (87)	21.9(147)	348	26.4(142)	25.3(143)	448 14.5 (109)
Marion Cty	253	8.7 (50)	7.9(101)	983	8.3(126)	3.7 (21)	20.1(144)	379	16.6 (65)	19.3(115)	608 4.6 (13)
Marshal90A	274	7.7 (30)	6.9 (81)	1,059	12.4(149)	8.3(116)	15.3(111)	434	9.0 (6)	9.0 (5)	673 13.8 (103)
Marshal90B	14	* *	* *	72	* *	* *	* *	35	* *	* *	50 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 10
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Martin Cty	179	12.3 (105)	2.2 (3)	778	8.9(130)	6.3 (72)	13.9 (89)	331	15.7 (49)	16.6 (84)	508 10.2 (66)
Mason Cty	241	12.4 (108)	2.9 (7)	753	9.7(136)	9.7(129)	15.9(120)	230	16.5 (60)	17.4 (93)	447 16.3 (115)
McCracken	652	9.4 (62)	5.2 (43)	2,168	6.4 (92)	3.9 (28)	18.6(139)	880	15.2 (37)	13.3 (33)	1,423 12.0 (88)
McCreary C	247	12.1 (103)	2.4 (4)	1,161	4.9 (59)	6.3 (72)	10.1 (23)	541	15.2 (37)	14.8 (55)	799 7.9 (42)
McLean Ct	74	* *	* *	413	9.7(136)	3.1 (17)	14.0 (90)	190	15.3 (39)	17.9 (97)	297 1.3 (1)
Meade Cty	200	8.0 (39)	15.5 (126)	857	9.2(133)	4.4 (35)	16.2(122)	314	15.0 (32)	11.1 (12)	549 10.9 (77)
Menifee Ct	102	10.8 (76)	9.8 (118)	385	3.4 (17)	8.6(125)	14.0 (90)	178	16.9 (74)	17.4 (93)	223 9.9 (62)
Mercer Cty	215	12.1 (103)	7.0 (86)	840	6.8(105)	3.7 (21)	14.2 (97)	373	15.0 (32)	16.9 (87)	579 6.9 (32)
Metcalfe C	89	* *	* *	440	2.7 (7)	7.5(104)	10.5 (25)	201	15.4 (41)	13.4 (35)	280 12.1 (89)
Middletown	394	8.1 (40)	7.4 (94)	1,525	4.8 (53)	5.4 (55)	12.3 (57)	551	14.2 (23)	12.5 (25)	905 12.7 (91)
Monroe Cnt	121	5.8 (7)	8.3 (104)	492	5.3 (69)	6.7 (82)	18.9(141)	198	17.7 (86)	21.2(130)	320 3.1 (5)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	326	12.3 (105)	6.4 (74)	1,361	6.5 (95)	4.6 (44)	13.5 (82)	516	15.7 (49)	14.5 (49)		899	6.6 (30)
Morgan Cty	131	11.5 (88)	8.4 (108)	684	3.8 (22)	6.7 (82)	9.9 (20)	318	15.4 (41)	14.8 (55)		480	18.1 (122)
Muhlenberg	354	5.6 (5)	9.3 (113)	1,270	5.5 (75)	6.3 (72)	11.9 (48)	501	16.2 (56)	15.4 (63)		742	6.3 (29)
Neighborho	398	11.1 (81)	7.5 (98)	1,466	4.6 (42)	8.3(116)	10.6 (26)	491	15.5 (44)	13.6 (37)		797	5.3 (19)
Nelson Cty	363	12.9 (111)	5.0 (37)	1,540	8.4(127)	5.3 (52)	12.5 (63)	585	15.0 (32)	12.3 (22)		966	11.0 (78)
Newburg	664	11.7 (94)	5.7 (55)	2,338	5.0 (62)	11.8(143)	12.1 (53)	754	7.6 (2)	6.5 (2)		1,320	16.1 (114)
Nicholas C	92	* *	* *	322	5.9 (83)	8.4(120)	9.6 (16)	132	6.8 (1)	9.8 (9)		195	16.9 (120)
Oasis Hlth	42	* *	* *	205	11.7(148)	3.9 (28)	17.1(127)	104	16.3 (57)	12.5 (25)		141	29.8 (147)
Ohio Cty	326	5.8 (7)	6.7 (77)	1,264	4.7 (49)	3.7 (21)	11.4 (37)	516	16.7 (70)	14.7 (53)		789	4.9 (17)
Oldham Cty	242	7.9 (35)	4.1 (18)	934	8.6(128)	1.7 (1)	16.5(124)	376	16.8 (72)	15.7 (70)		513	11.9 (86)
Olive Hill	153	6.5 (15)	4.6 (29)	728	3.7 (19)	8.4(120)	11.7 (42)	313	15.3 (39)	15.3 (60)		441	11.1 (79)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 12
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Owen Cty	101	16.8 (122)	2.0 (1)	375	3.7 (19)	8.3 (116)	16.8 (125)	148	25.0 (140)	24.3 (141)	260 13.5 (99)
Owsley Cty	73	* *	* *	284	6.7 (101)	2.8 (13)	31.7 (152)	146	20.5 (126)	28.8 (144)	207 9.2 (55)
Park Duval	438	15.8 (120)	4.1 (18)	2,027	7.2 (113)	5.7 (63)	12.5 (63)	747	16.3 (57)	14.6 (50)	1,306 10.6 (74)
Pendleton	128	9.4 (62)	4.7 (32)	480	7.9 (123)	6.9 (92)	12.3 (57)	167	16.8 (72)	16.2 (78)	311 11.9 (86)
Perry Cty	384	12.0 (102)	6.3 (71)	1,430	9.0 (132)	2.3 (7)	23.0 (150)	525	17.3 (81)	23.0 (138)	847 10.4 (68)
Phelps	22	* *	* *	160	1.3 (2)	10.0 (132)	6.9 (4)	49	* *	* *	80 * *
Pike Cty	505	12.9 (111)	4.2 (23)	1,958	2.4 (4)	14.0 (152)	9.4 (14)	695	8.9 (5)	10.2 (10)	1,132 9.3 (57)
Portland	351	11.1 (81)	4.0 (16)	1,440	6.5 (95)	6.3 (72)	14.6 (103)	495	18.0 (92)	13.3 (33)	879 27.2 (143)
Powell Cty	193	13.5 (117)	6.2 (68)	743	4.2 (27)	4.0 (31)	13.6 (85)	328	17.4 (83)	16.5 (81)	504 5.4 (21)
Pulaski Ct	708	8.8 (51)	5.6 (53)	2,858	3.2 (12)	7.0 (93)	7.9 (6)	1,061	16.5 (60)	11.1 (12)	1,669 5.6 (22)
Radcliffe	509	7.7 (30)	6.3 (71)	2,154	5.0 (62)	3.7 (21)	10.7 (29)	847	14.3 (25)	12.2 (19)	1,370 11.8 (85)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Richmond	605	7.9 (35)	5.0 (37)	2,039	4.8 (53)	9.6(127)	8.8 (10)	700	16.9 (74)	13.7 (39)	1,200 11.3 (82)
Robertson	49	* *	* *	157	5.7 (80)	7.0 (93)	9.6 (16)	61	* *	* *	89 * *
Rockcastle	235	9.4 (62)	5.1 (40)	923	4.4 (35)	6.7 (82)	13.3 (77)	391	19.4(112)	16.6 (84)	603 7.6 (40)
Rowan Cty	257	6.2 (12)	11.7 (125)	975	4.2 (27)	8.5(124)	12.0 (51)	373	16.6 (65)	15.5 (65)	620 7.9 (42)
Russell Ct	257	8.6 (48)	4.7 (32)	925	9.5(135)	7.8(111)	14.5(102)	351	19.7(115)	22.8(136)	540 4.4 (12)
Scott Cty	334	6.3 (13)	9.0 (111)	1,291	8.2(125)	4.4 (35)	18.4(137)	472	13.6 (21)	15.0 (57)	776 13.8(103)
Shelby Cty	348	5.5 (4)	9.8 (118)	1,253	10.2(141)	3.8 (26)	18.1(135)	499	16.6 (65)	16.0 (75)	800 16.6(117)
Simpson Ct	206	7.8 (33)	3.4 (11)	700	6.4 (92)	9.6(127)	8.6 (8)	227	17.2 (79)	11.9 (18)	373 19.0(130)
South Shor	45	* *	* *	223	4.0 (24)	12.6(147)	12.1 (53)	112	13.4 (19)	14.3 (45)	138 5.8 (25)
Spencer Ct	94	* *	* *	459	6.5 (95)	4.4 (35)	13.5 (82)	192	16.1 (55)	13.0 (29)	303 16.8(118)
TAPP-South	26	* *	* *	87	* *	* *	* *	4	* *	* *	32 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 14
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
TAPP-West	25	* *	* *	95	* *	* *	* *	10	* *	* *	31 * *
Taylor Cty	326	8.3 (44)	8.3 (104)	1,022	4.5 (39)	4.1 (32)	11.4 (37)	370	16.5 (60)	14.6 (50)	587 7.0 (33)
Todd Cty H	149	7.4 (27)	8.1 (103)	626	11.2(146)	4.5 (42)	17.6(134)	270	20.0(119)	14.4 (48)	441 9.3 (57)
Trigg Cty	142	7.7 (30)	7.0 (86)	526	7.6(118)	2.1 (5)	15.0(108)	226	15.5 (44)	13.7 (39)	346 7.2 (34)
Trimble Ct	94	* *	* *	344	4.9 (59)	13.1(149)	14.0 (90)	135	14.8 (31)	16.3 (79)	231 20.3(134)
Union Cty	163	9.2 (59)	6.1 (65)	602	7.8(121)	2.7 (12)	10.8 (30)	219	17.4 (83)	14.2 (44)	381 8.4 (47)
Washington	95	* *	* *	440	6.8(105)	5.0 (49)	13.6 (85)	205	21.0(131)	13.2 (32)	270 6.7 (31)
Wayne Cty	281	9.3 (60)	4.6 (29)	1,151	4.0 (24)	5.8 (65)	13.4 (79)	482	17.2 (79)	19.9(118)	706 10.8 (75)
Webster Ct	123	8.9 (54)	4.9 (36)	550	13.6(150)	1.8 (3)	22.2(148)	211	19.0(106)	18.0 (99)	382 3.7 (8)
Wheelbrigh	96	* *	* *	354	1.7 (3)	12.4(146)	6.8 (3)	151	12.6 (15)	10.6 (11)	216 13.0 (94)
Williamsbu	384	11.7 (94)	2.6 (6)	1,403	5.9 (83)	9.9(131)	15.4(114)	583	22.3(137)	24.4(142)	946 8.7 (50)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Wolfe Cty	126	11.9 (98)	10.3 (120)	569	6.5 (95)	2.6 (10)	14.8 (105)	278	19.8 (116)	16.5 (81)	368 7.3 (36)
Woodford C	191	11.5 (88)	7.9 (101)	796	7.4 (117)	3.1 (17)	14.9 (106)	323	14.2 (23)	17.0 (89)	533 12.8 (92)
Unknown Clinics	8	* *	* *	26	* *	* *	* *	16	* *	* *	22 * *
Kentucky	42,701	9.8	6.1	164,667	6.0	6.6	13.1	62,832	16.6	15.7	99,273 12.3
Nation (Prior Year)	1,953,242	9.1	6.4	7,526,585	6.2	4.5	13.9	3,058,130	16.4	14.9	4,759,588 15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 1
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Adair Coun	195	30.3 (85)	138	5.8 (77)	117	4.3 (54)	0	* * *	0	* * *	334	91.6 (63)	787	23.3 (56)
Allen Coun	245	44.1 (19)	118	7.6 (66)	141	4.3 (54)	0	* * *	0	* * *	427	85.7(100)	943	32.4 (78)
Anderson C	169	39.6 (42)	98	* * *	88	* * *	0	* * *	0	* * *	257	75.5(140)	639	23.0 (55)
Ashland-Bo	467	28.1 (91)	312	9.6 (45)	270	7.4 (17)	0	* * *	0	* * *	704	92.3 (56)	1,836	23.3 (56)
Ballard Co	92	* * *	58	* * *	50	* * *	0	* * *	0	* * *	108	91.7 (62)	301	47.5 (121)
Bar-Riv-Wa	912	41.9 (27)	545	11.6 (26)	510	7.1 (20)	0	* * *	0	* * *	1,325	85.4(102)	3,544	32.6 (80)
Barren Cty	537	30.0 (86)	295	6.4 (72)	275	4.7 (42)	0	* * *	0	* * *	739	90.4 (73)	1,899	25.3 (63)
Bath Count	134	14.2(121)	92	* * *	102	5.9 (28)	0	* * *	0	* * *	265	96.6 (28)	632	32.9 (82)
Belfry	130	10.0(125)	63	* * *	64	* * *	0	* * *	0	* * *	206	77.2(138)	495	70.3 (148)
Bell Cty M	198	13.1(123)	120	8.3 (59)	144	1.4 (94)	0	* * *	0	* * *	446	96.0 (32)	908	24.0 (60)
Bell Cty P	263	21.3(107)	111	4.5 (84)	163	0.6 (100)	0	* * *	0	* * *	518	100. (1)	1,075	39.3 (102)
Berea	200	51.0 (12)	120	10.0 (38)	107	6.5 (23)	0	* * *	0	* * *	311	95.8 (36)	782	20.3 (47)
Betsy Lane	176	16.5(120)	80	* * *	95	* * *	0	* * *	0	* * *	341	100. (1)	685	67.7 (146)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 2
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Boone Coun	632	32.8 (68)	471	11.5 (27)	467	6.9 (22)	0	* *	0	* *	1,160	93.0 (52)	2,998	32.5 (79)
Bourbon Ct	250	41.6 (30)	135	10.4 (31)	140	2.1 (84)	0	* *	0	* *	279	84.9(105)	786	5.2 (27)
Boyle Coun	256	24.2(100)	146	10.3 (32)	139	2.9 (73)	0	* *	0	* *	356	93.8 (45)	986	36.6 (93)
Bracken Co	94	* *	64	* *	53	* *	0	* *	0	* *	154	86.4 (96)	396	64.9 (144)
Breathitt	179	17.3(117)	109	4.6 (83)	128	0.8 (99)	0	* *	0	* *	409	81.4(118)	842	52.5 (134)
Breckinrid	190	30.5 (83)	82	* *	88	* *	0	* *	0	* *	339	81.4(118)	759	1.1 (18)
Bridges	127	40.9 (33)	93	* *	94	* *	0	* *	0	* *	304	83.6(111)	675	7.1 (29)
Bullitt Co	505	35.2 (60)	286	8.7 (57)	305	5.9 (28)	0	* *	0	* *	731	88.4 (84)	1,928	27.5 (68)
Butler Cty	129	27.9 (93)	87	* *	99	* *	0	* *	0	* *	267	82.8(116)	587	21.5 (50)
C & Y	545	33.0 (66)	380	4.5 (84)	243	2.1 (84)	0	* *	0	* *	603	100. (1)	2,003	0.0 (1)
Caldwell C	180	42.2 (25)	102	9.8 (43)	89	* *	0	* *	0	* *	240	74.2(141)	605	35.2 (89)
Calloway C	349	54.2 (9)	202	18.3 (12)	200	9.5 (11)	0	* *	0	* *	482	96.1 (31)	1,255	14.4 (37)
Campbell C	426	24.9 (99)	440	4.5 (84)	375	5.1 (39)	0	* *	0	* *	879	90.0 (75)	2,268	12.4 (33)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 3
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Carlisle C	69 * *	36 * *	31 * *	0 * *	0 * *	115 89.6 (79)	250 33.2 (84)
Carroll Ct	213 28.2 (90)	109 9.2 (50)	106 9.4 (13)	0 * *	0 * *	251 92.0 (60)	690 34.6 (87)
Carter Cty	210 31.0 (78)	176 10.2 (33)	148 3.4 (64)	0 * *	0 * *	405 73.8(142)	943 52.0 (132)
Casey Cty	157 30.6 (81)	118 10.2 (33)	116 6.0 (27)	0 * *	0 * *	308 88.0 (85)	699 47.4 (120)
Christian	724 33.0 (66)	511 9.2 (50)	363 4.7 (42)	0 * *	0 * *	983 83.3(113)	2,751 50.9 (129)
Clark Coun	362 39.5 (43)	257 11.7 (25)	216 6.5 (23)	0 * *	0 * *	516 92.8 (54)	1,373 1.7 (21)
Clay Cty H	381 19.7(113)	201 3.5 (90)	240 2.5 (80)	0 * *	0 * *	620 91.1 (67)	1,475 82.4 (151)
Clinton Ct	152 10.5(124)	106 6.6 (71)	132 3.0 (72)	0 * *	0 * *	302 91.4 (66)	715 48.8 (123)
Corbin	431 21.3(107)	264 8.3 (59)	204 3.4 (64)	0 * *	0 * *	663 100. (1)	1,598 12.6 (34)
Crittenden	83 * *	52 * *	67 * *	0 * *	0 * *	158 84.2(108)	366 27.3 (67)
Cumberland	78 * *	71 * *	73 * *	0 * *	0 * *	171 91.8 (61)	373 40.5 (105)
Daviess Co	958 32.7 (70)	467 6.0 (76)	451 2.2 (83)	0 * *	0 * *	1,213 89.8 (76)	3,321 28.3 (70)
Dixie	685 39.9 (38)	457 10.5 (30)	357 5.3 (37)	0 * *	0 * *	755 91.1 (67)	2,597 0.1 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 4
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Edmonson C	101	41.6 (30)	97	* *	57	* *	0	* *	0	* *	210	80.0 (129)	496	43.5 (111)
Elliott Ct	106	23.6 (101)	65	* *	59	* *	0	* *	0	* *	226	93.4 (49)	465	32.3 (77)
Estill Cty	184	29.3 (88)	114	3.5 (90)	105	2.9 (73)	0	* *	0	* *	378	87.0 (90)	826	28.8 (71)
Etown	518	39.8 (40)	237	8.9 (55)	277	4.7 (42)	0	* *	0	* *	816	93.8 (45)	2,069	32.7 (81)
Evarts	0	* *	3	* *	10	* *	0	* *	0	* *	15	* *	49	* *
Fairdale	321	22.7 (103)	234	9.0 (54)	215	5.6 (32)	0	* *	0	* *	418	81.1 (122)	1,267	0.2 (6)
Fleming Co	169	31.4 (75)	95	* *	132	1.5 (91)	0	* *	0	* *	346	80.9 (123)	720	36.4 (92)
Floyd Cty	389	18.8 (114)	193	6.7 (69)	221	5.4 (34)	0	* *	0	* *	596	100. (1)	1,411	49.6 (125)
Foust Hlth	77	* *	47	* *	48	* *	0	* *	0	* *	180	83.3 (113)	362	26.8 (65)
Franklin C	389	41.9 (27)	236	10.6 (29)	250	3.6 (63)	0	* *	0	* *	636	89.3 (83)	1,689	64.7 (143)
Ft Campbel	563	71.4 (2)	510	18.6 (10)	266	11.3 (10)	0	* *	0	* *	1,218	86.2 (98)	2,924	3.1 (25)
Fulton	66	* *	35	* *	40	* *	0	* *	0	* *	117	79.5 (133)	251	53.8 (135)
Gallatin C	123	39.8 (40)	99	* *	97	* *	0	* *	0	* *	248	91.1 (67)	588	29.9 (73)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 5
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Garrard Ct	178	28.1 (91)	134	8.2 (62)	96	* *	0	* *	0	* *	317	97.8 (22)	756	38.5 (100)
Grant Cty	329	38.9 (44)	221	10.0 (38)	243	2.5 (80)	0	* *	0	* *	643	86.8 (92)	1,460	46.2 (117)
Graves Cty	497	34.8 (61)	280	9.3 (47)	295	4.7 (42)	0	* *	0	* *	754	96.7 (27)	1,803	30.7 (74)
Grayson Ct	251	33.5 (63)	203	9.9 (40)	239	4.2 (57)	0	* *	0	* *	609	70.6(145)	1,312	67.1 (145)
Green Cty	144	37.5 (51)	80	* *	92	* *	0	* *	0	* *	241	80.5(126)	557	36.6 (93)
Greenup	271	32.1 (73)	159	10.1 (36)	164	4.3 (54)	0	* *	0	* *	394	96.2 (30)	1,030	23.9 (58)
Hancock Ct	68	* *	48	* *	35	* *	0	* *	0	* *	150	80.0(129)	329	27.7 (69)
Harlan Cty	427	20.1(112)	181	3.9 (88)	240	3.3 (69)	0	* *	0	* *	702	95.6 (37)	1,589	26.3 (64)
Harrison C	188	40.4 (37)	150	8.7 (57)	147	5.4 (34)	0	* *	0	* *	350	96.3 (29)	832	24.9 (61)
Hart Cty H	201	32.8 (68)	138	8.0 (63)	125	4.0 (60)	0	* *	0	* *	333	86.8 (92)	817	30.8 (75)
Henderson	515	26.8 (97)	233	4.7 (82)	232	3.4 (64)	0	* *	0	* *	619	89.8 (76)	1,790	38.6 (101)
Henry Coun	143	43.4 (21)	93	* *	113	4.4 (50)	0	* *	0	* *	225	96.0 (32)	568	13.9 (36)
Hickman	46	* *	30	* *	43	* *	0	* *	0	* *	91	* *	211	40.3 (104)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 6
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Hickman Ct	64 * *	24 * *	32 * *	0 * *	0 * *	68 * *	185 33.0 (83)
Highview	438 61.0 (5)	312 18.6 (10)	241 12.0 (8)	0 * *	0 * *	661 82.3 (117)	1,809 0.2 (6)
Hindman	236 22.5(104)	130 1.5 (96)	102 2.0 (87)	0 * *	0 * *	373 95.2 (39)	868 21.1 (49)
Hopkins Ct	566 37.3 (54)	296 9.1 (52)	261 5.0 (40)	0 * *	0 * *	883 79.2(135)	2,182 45.4 (116)
Hospital	1,287 33.4 (64)	11 * *	0 * *	0 * *	0 * *	0 * *	1,298 14.6 (38)
Iroquois	708 54.8 (8)	533 17.6 (13)	373 7.2 (19)	0 * *	0 * *	993 90.7 (71)	2,811 0.5 (15)
Jackson Ct	169 27.2 (95)	97 * *	119 7.6 (15)	0 * *	0 * *	344 95.9 (34)	738 53.9 (136)
Jessamine	504 39.9 (38)	351 16.2 (14)	274 9.5 (11)	0 * *	0 * *	808 93.8 (45)	2,091 22.9 (54)
Johnson Co	360 27.5 (94)	159 6.3 (73)	183 4.4 (50)	0 * *	0 * *	576 99.0 (18)	1,278 33.7 (85)
JT Arnett	11 * *	10 * *	11 * *	0 * *	0 * *	62 * *	102 47.1 (119)
Kenton Cty	653 29.4 (87)	795 6.7 (69)	556 3.2 (71)	0 * *	0 * *	1,226 94.0 (42)	3,589 48.8 (123)
Knox Cty	498 16.9(119)	323 3.7 (89)	299 0.3 (103)	0 * *	0 * *	951 93.4 (49)	2,107 0.6 (16)
L & N	562 42.7 (24)	439 12.8 (18)	324 4.9 (41)	0 * *	0 * *	733 81.2(121)	2,265 0.3 (11)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 7
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Larue Cty	156	30.8 (79)	99	* *	95	* *	0	* *	0	* *	301	81.4 (118)	677	16.2 (42)
Laurel Cty	619	38.1 (48)	385	9.9 (40)	320	4.7 (42)	0	* *	0	* *	1,018	94.0 (42)	2,443	58.0 (139)
Lawrence C	206	17.5 (115)	122	3.3 (92)	136	1.5 (91)	0	* *	0	* *	346	100. (1)	821	17.9 (44)
Lee Cty He	92	* *	33	* *	55	* *	0	* *	0	* *	206	86.4 (96)	401	19.7 (46)
Leslie Cty	148	30.4 (84)	112	4.5 (84)	104	2.9 (73)	0	* *	0	* *	314	99.4 (14)	711	4.6 (26)
Letcher Ct	298	36.2 (56)	147	10.2 (33)	120	3.3 (69)	0	* *	0	* *	446	84.5 (106)	1,139	12.8 (35)
Lewis Cty	177	27.1 (96)	77	* *	116	0.9 (97)	0	* *	0	* *	353	86.1 (99)	735	56.1 (138)
Lex-Fay40C	718	75.8 (1)	382	43.5 (1)	394	24.9 (2)	0	* *	0	* *	1,136	92.1 (59)	2,816	0.2 (6)
Lex-Fay40D	359	48.7 (14)	263	13.3 (16)	212	7.1 (20)	0	* *	0	* *	524	91.6 (63)	1,502	0.4 (14)
Lex-Fay40F	496	58.9 (7)	273	23.1 (5)	219	7.3 (18)	0	* *	0	* *	669	86.8 (92)	1,774	0.2 (6)
Lex-Fay40G	246	50.0 (13)	146	12.3 (22)	179	4.5 (48)	0	* *	0	* *	370	95.1 (40)	1,031	0.0 (1)
Lex-Fay40W	253	67.6 (3)	175	32.6 (3)	131	17.6 (4)	0	* *	0	* *	474	98.3 (20)	1,104	0.2 (6)
Lincoln Ct	257	26.5 (98)	190	5.8 (77)	199	0.5 (101)	0	* *	0	* *	472	97.5 (25)	1,099	39.6 (103)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 8
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)	Smoking in Household	
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)		Number % (Rank)	
Livingston	82 * *	47 * *	52 * *	0 * *	0 * *	180 73.3(144)		366 42.6 (107)	
Logan Cty	251 32.7 (70)	162 9.3 (47)	147 4.1 (58)	0 * *	0 * *	420 95.5 (38)		1,054 22.5 (53)	
Lynch	116 17.2(118)	44 * *	46 * *	0 * *	0 * *	154 79.2(135)		370 20.5 (48)	
Lyon Cty	57 * *	38 * *	47 * *	0 * *	0 * *	96 * *		233 24.9 (61)	
Magoffin C	178 13.5(122)	102 2.0 (95)	112 1.8 (88)	0 * *	0 * *	391 99.7 (12)		794 36.1 (90)	
Marion Cty	252 41.3 (32)	115 6.1 (75)	136 3.7 (62)	0 * *	0 * *	409 97.8 (22)		1,000 49.8 (127)	
Marshal90A	274 43.8 (20)	191 12.6 (20)	186 5.9 (28)	0 * *	0 * *	460 73.7(143)		1,120 34.7 (88)	
Marshal90B	14 * *	7 * *	12 * *	0 * *	0 * *	40 * *		74 * *	
Martin Cty	242 9.9(126)	92 * *	107 0.9 (97)	0 * *	0 * *	359 79.4(134)		813 58.8 (141)	
Mason Cty	246 22.4(105)	94 * *	136 2.9 (73)	0 * *	0 * *	268 99.3 (15)		797 58.6 (140)	
McCracken	652 37.9 (49)	398 12.8 (18)	365 4.4 (50)	0 * *	0 * *	962 87.5 (87)		2,428 14.7 (39)	
McCreary C	253 22.9(102)	193 6.2 (74)	177 1.1 (95)	0 * *	0 * *	587 83.5(112)		1,208 36.3 (91)	
McLean Ct	74 * *	57 * *	71 * *	0 * *	0 * *	204 80.9(123)		419 38.4 (99)	

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 9
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Meade Cty	201	31.8 (74)	127	9.4 (46)	138	2.9 (73)	0	* * *	0	* * *	349	80.2(128)	879	32.1 (76)
Menifee Ct	102	45.1 (18)	50	* * *	52	* * *	0	* * *	0	* * *	198	92.9 (53)	398	21.9 (51)
Mercer Cty	215	41.9 (27)	99	* * *	119	3.4 (64)	0	* * *	0	* * *	396	89.6 (79)	884	52.4 (133)
Metcalfe C	89	* * *	77	* * *	59	* * *	0	* * *	0	* * *	215	84.2(108)	449	40.8 (106)
Middletown	395	60.0 (6)	242	20.2 (7)	237	12.7 (7)	0	* * *	0	* * *	599	98.0 (21)	1,585	0.3 (11)
Monroe Cnt	121	17.4(116)	61	* * *	84	* * *	0	* * *	0	* * *	227	100. (1)	510	36.7 (95)
Montgomery	326	33.7 (62)	217	7.8 (65)	208	2.9 (73)	0	* * *	0	* * *	580	85.3(103)	1,426	43.6 (112)
Morgan Cty	154	31.2 (77)	106	19.8 (9)	110	14.5 (6)	0	* * *	0	* * *	323	99.7 (12)	713	18.8 (45)
Muhlenberg	355	29.0 (89)	229	8.3 (59)	193	2.1 (84)	0	* * *	0	* * *	549	80.7(125)	1,302	50.3 (128)
Neighborho	403	51.1 (11)	298	28.9 (4)	215	19.1 (3)	0	* * *	0	* * *	534	87.3 (88)	1,564	0.8 (17)
Nelson Cty	362	35.9 (57)	194	5.7 (80)	224	4.5 (48)	0	* * *	0	* * *	644	89.6 (79)	1,574	85.4 (153)
Newburg	670	54.0 (10)	426	21.8 (6)	405	11.9 (9)	0	* * *	0	* * *	831	87.1 (89)	2,490	1.1 (18)
Nicholas C	92	* * *	54	* * *	47	* * *	0	* * *	0	* * *	147	92.5 (55)	346	51.7 (131)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 10
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)		
Oasis Hlth	41 * *	30 * *	25 * *	0 * *	0 * *	115 79.1 (137)	217 22.1 (52)		
Ohio Cty	325 38.5 (46)	161 6.8 (68)	181 1.7 (89)	0 * *	0 * *	562 75.6 (139)	1,287 46.3 (118)		
Oldham Cty	241 38.2 (47)	107 12.1 (23)	128 14.8 (5)	0 * *	0 * *	399 91.0 (70)	968 83.1 (152)		
Olive Hill	155 37.4 (52)	122 9.8 (43)	118 3.4 (64)	0 * *	0 * *	337 93.2 (51)	744 42.6 (107)		
Owen Cty	101 30.7 (80)	68 * *	47 * *	0 * *	0 * *	163 93.9 (44)	392 14.8 (40)		
Owsley Cty	72 * *	28 * *	42 * *	0 * *	0 * *	159 98.7 (19)	312 43.6 (112)		
Park Duval	437 43.0 (22)	377 20.2 (7)	334 8.1 (14)	0 * *	0 * *	812 100. (1)	2,167 0.0 (1)		
Pendleton	128 35.9 (57)	85 * *	58 * *	0 * *	0 * *	191 84.3 (107)	505 51.1 (130)		
Perry Cty	419 31.3 (76)	207 5.8 (77)	208 2.4 (82)	0 * *	0 * *	594 92.3 (56)	1,524 1.4 (20)		
Phelps	23 * *	32 * *	16 * *	0 * *	0 * *	52 * *	164 78.7 (150)		
Pike Cty	517 21.1 (109)	364 3.3 (92)	261 0.4 (102)	0 * *	0 * *	816 83.0 (115)	2,080 70.8 (149)		
Portland	358 45.8 (15)	257 9.3 (47)	226 4.0 (60)	0 * *	0 * *	533 86.9 (91)	1,513 0.3 (11)		
Powell Cty	194 38.7 (45)	112 13.4 (15)	109 2.8 (79)	0 * *	0 * *	355 83.9 (110)	772 36.7 (95)		

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 11
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Pulaski Ct	709	40.5 (36)	500	12.4 (21)	351	6.3 (25)	0	* *	0	* *	1,156	93.8 (45)	2,959	43.0 (109)
Radcliffe	507	37.9 (49)	231	9.1 (52)	280	5.4 (34)	0	* *	0	* *	920	87.7 (86)	2,207	48.6 (122)
Richmond	603	32.2 (72)	385	8.8 (56)	324	5.6 (32)	0	* *	0	* *	754	91.5 (65)	2,093	26.8 (65)
Robertson	49	* *	25	* *	28	* *	0	* *	0	* *	64	* *	169	59.2 (142)
Rockcastle	235	40.9 (33)	135	13.3 (16)	131	5.3 (37)	0	* *	0	* *	425	90.4 (73)	950	1.7 (21)
Rowan Cty	256	43.0 (22)	158	10.1 (36)	148	4.1 (58)	0	* *	0	* *	419	80.0 (129)	1,003	8.2 (30)
Russell Ct	260	35.8 (59)	165	3.0 (94)	136	4.4 (50)	0	* *	0	* *	390	79.7 (132)	958	43.3 (110)
Scott Cty	334	42.2 (25)	232	9.9 (40)	172	5.8 (31)	0	* *	0	* *	521	97.7 (24)	1,375	38.3 (98)
Shelby Cty	348	64.9 (4)	161	42.9 (2)	240	33.8 (1)	0	* *	0	* *	565	85.7 (100)	1,374	2.8 (24)
Simpson Ct	209	30.6 (81)	132	11.4 (28)	107	7.5 (16)	0	* *	0	* *	249	99.2 (16)	721	43.8 (114)
South Shor	45	* *	41	* *	28	* *	0	* *	0	* *	117	99.1 (17)	230	23.9 (58)
Spencer Ct	94	* *	53	* *	92	* *	0	* *	0	* *	207	86.5 (95)	468	1.7 (21)
TAPP-South	26	* *	27	* *	14	* *	0	* *	0	* *	9	* *	91	* *

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 12
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
TAPP-West	25 * *	22 * *	17 * *	0 * *	0 * *	11 * *	102 0.0 (1)
Taylor Cty	329 33.4 (64)	171 7.0 (67)	178 6.2 (26)	0 * *	0 * *	409 92.2 (58)	1,062 37.9 (97)
Todd Cty H	149 40.9 (33)	90 * *	103 1.0 (96)	0 * *	0 * *	304 100. (1)	661 17.1 (43)
Trigg Cty	141 36.9 (55)	79 * *	71 * *	0 * *	0 * *	236 89.4 (82)	543 29.7 (72)
Trimble Ct	94 * *	45 * *	62 * *	0 * *	0 * *	147 80.3(127)	354 11.6 (32)
Union Cty	163 37.4 (52)	74 * *	76 * *	0 * *	0 * *	244 95.9 (34)	619 44.3 (115)
Washington	95 * *	50 * *	62 * *	0 * *	0 * *	226 95.1 (40)	451 5.5 (28)
Wayne Cty	280 20.4(111)	175 8.0 (63)	179 1.7 (89)	0 * *	0 * *	527 89.8 (76)	1,180 69.6 (147)
Webster Ct	123 45.5 (16)	73 * *	84 * *	0 * *	0 * *	226 85.0(104)	564 33.9 (86)
Wheelbrigh	95 * *	56 * *	68 * *	0 * *	0 * *	163 100. (1)	368 49.7 (126)
Williamsbu	384 20.6(110)	229 5.7 (80)	195 1.5 (91)	0 * *	0 * *	646 100. (1)	1,457 15.0 (41)
Wolfe Cty	126 21.4(106)	73 * *	90 * *	0 * *	0 * *	302 90.7 (71)	594 54.4 (137)
Woodford C	190 45.3 (17)	107 12.1 (23)	109 4.6 (47)	0 * *	0 * *	351 97.2 (26)	821 8.6 (31)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 13
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (4,5)								
	Breastfeeding (5)			Exclusive Breastfeeding (6)			≤2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)
Unknown Clinics	8	* *	3	* *	2	* *	0	* *
Kentucky	43,492	36.3	26,533	10.8	24,731	5.4	0	*
Nation (Prior Year)	1,747,004	59.8	874,434	25.4	979,105	17.5	127,047	10.2
							182,064	5.2
							687,613	75.0
							3,047,308	11.3

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Adair Coun	489	9.0 (50)	6.7 (97)	1,890	5.0 (41)	6.3 (86)	10.4 (16)	767	11.7 (8)	15.3 (53)	1,166 10.4 (66)
Allen Coun	581	6.9 (6)	6.7 (97)	2,313	6.5 (91)	6.8(102)	11.1 (26)	1,001	14.6 (22)	14.0 (36)	1,150 15.7 (118)
Anderson C	408	13.0 (139)	5.1 (47)	1,552	7.2(107)	7.1(110)	14.2 (81)	630	22.1(147)	17.6 (94)	1,021 13.4(100)
Ashland-Bo	1,309	11.8 (125)	4.5 (21)	4,775	4.4 (30)	10.4(148)	9.8 (10)	1,797	16.5 (57)	15.4 (55)	2,969 18.4(134)
Ballard Co	203	8.4 (31)	6.9(105)	740	8.5(127)	4.9 (48)	16.1(121)	329	21.0(141)	10.9 (10)	542 12.7 (93)
Bar-Riv-Wa	2,410	10.6 (95)	6.4 (91)	9,074	5.1 (50)	6.4 (92)	12.7 (50)	3,253	17.8 (90)	17.2 (85)	5,383 18.2(132)
Barren Cty	1,238	10.3 (80)	7.2(117)	4,642	5.2 (52)	5.3 (58)	12.9 (51)	1,794	17.6 (80)	19.3(122)	2,917 11.2 (74)
Bath Count	377	11.4 (110)	8.8(144)	1,564	10.2(145)	5.9 (74)	19.3(146)	691	21.6(145)	25.3(152)	1,033 9.0 (55)
Belfry	318	11.3 (106)	5.0 (45)	1,269	1.7 (3)	10.7(150)	13.2 (59)	522	15.5 (36)	19.3(122)	823 6.0 (25)
Bell Cty M	552	11.6 (117)	5.6 (62)	2,444	6.9(100)	3.0 (9)	21.2(152)	1,188	16.2 (50)	23.5(149)	1,745 2.9 (5)
Bell Cty P	574	10.1 (74)	6.6 (94)	2,694	6.2 (82)	4.8 (47)	15.7(111)	1,296	14.0 (18)	15.7 (63)	1,886 3.1 (6)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Berea	494	8.3 (28)	8.5 (139)	1,986	4.8 (33)	8.3(132)	10.1 (15)	796	15.6 (38)	14.1 (39)		1,353	6.4 (32)
Betsy Lane	402	11.9 (127)	4.5 (21)	1,650	1.8 (5)	10.6(149)	8.2 (3)	801	8.1 (2)	9.5 (6)		1,190	6.2 (27)
Boone Coun	1,725	10.3 (80)	7.3 (119)	7,664	6.6 (94)	6.1 (79)	13.7 (70)	2,940	17.9 (92)	15.2 (51)		4,669	15.8 (120)
Bourbon Ct	579	9.3 (55)	5.7 (69)	1,863	6.3 (84)	5.0 (52)	17.7(135)	666	20.4(137)	19.7(127)		1,228	14.9 (112)
Boyle Coun	632	10.8 (97)	6.8 (101)	2,466	5.0 (41)	4.9 (48)	14.3 (83)	927	17.6 (80)	17.3 (86)		1,469	12.4 (90)
Bracken Co	260	9.2 (53)	4.6 (28)	976	7.0(101)	11.2(152)	15.6(110)	359	25.6(154)	22.3(143)		635	5.7 (22)
Breathitt	492	9.3 (55)	4.9 (38)	2,166	5.3 (53)	4.3 (37)	18.6(139)	1,045	16.0 (43)	18.6(110)		1,544	6.2 (27)
Breckinrid	451	9.3 (55)	5.3 (54)	1,983	6.8 (99)	2.7 (5)	12.9 (51)	889	14.4 (19)	13.3 (28)		1,416	7.6 (42)
Bridges	486	11.7 (120)	4.9 (38)	1,974	7.1(103)	6.1 (79)	16.0(119)	759	17.4 (72)	15.0 (47)		1,173	22.8(144)
Bullitt Co	1,367	10.3 (80)	6.9 (105)	4,760	6.0 (76)	4.4 (40)	13.7 (70)	1,728	16.8 (62)	14.8 (45)		2,722	14.6 (107)
Butler Cty	382	10.5 (90)	6.0 (78)	1,613	4.2 (21)	4.9 (48)	17.0(130)	715	19.2(118)	22.0(141)		1,082	11.7 (81)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
C & Y	1,465	13.9 (146)	2.8 (1)	4,668	7.5 (117)	5.9 (74)	14.7 (93)	1,562	17.7 (86)	18.8 (115)	2,515 29.5 (156)
Caldwell C	412	9.5 (61)	7.3 (119)	1,462	5.6 (66)	6.9 (107)	15.0 (100)	586	18.1 (97)	14.5 (43)	963 10.6 (68)
Calloway C	827	6.2 (3)	10.4 (150)	3,242	4.8 (33)	4.5 (42)	11.9 (36)	1,276	17.6 (80)	12.4 (20)	2,052 7.6 (42)
Campbell C	1,322	11.1 (101)	6.2 (83)	5,803	5.0 (41)	7.3 (115)	9.6 (6)	2,247	11.3 (7)	8.5 (3)	3,536 17.6 (129)
Carlisle C	144	11.8 (125)	5.6 (62)	622	6.6 (94)	3.1 (14)	16.2 (123)	317	25.2 (153)	16.4 (75)	430 18.8 (135)
Carroll Ct	484	8.9 (44)	6.2 (83)	1,723	8.5 (127)	6.3 (86)	13.2 (59)	693	19.2 (118)	18.3 (103)	1,145 13.0 (98)
Carter Cty	578	12.1 (130)	4.5 (21)	2,469	3.4 (11)	9.8 (143)	13.4 (64)	1,071	17.6 (80)	18.9 (116)	1,623 10.8 (71)
Casey Cty	431	10.4 (87)	7.4 (124)	1,835	7.8 (123)	5.9 (74)	12.0 (38)	848	17.1 (65)	15.1 (48)	1,182 10.7 (70)
Christian	1,865	12.2 (133)	3.4 (7)	6,896	5.3 (53)	5.9 (74)	11.7 (34)	2,548	15.4 (34)	12.9 (22)	4,152 20.1 (140)
Clark Coun	936	9.5 (61)	6.1 (82)	3,388	5.4 (58)	4.4 (40)	15.7 (111)	1,296	20.4 (137)	20.8 (133)	2,042 12.5 (92)
Clay Cty H	927	10.2 (79)	5.9 (74)	3,803	4.4 (30)	8.0 (128)	15.5 (109)	1,776	21.1 (142)	22.1 (142)	2,656 4.9 (15)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Clinton Ct	407	11.5 (114)	7.1 (113)	1,760	4.3 (26)	6.7(100)	15.3(106)	797	20.5(139)	20.8(133)	1,182 4.7 (12)
Corbin	1,042	8.8 (41)	8.0 (134)	3,999	5.9 (72)	7.2(113)	14.3 (83)	1,665	15.9 (42)	18.6(110)	2,728 13.4(100)
Crittenden	241	11.2 (104)	3.3 (5)	954	4.9 (37)	4.6 (44)	13.9 (75)	420	19.5(126)	10.5 (8)	667 16.8(125)
Cumberland	230	11.3 (106)	3.0 (2)	1,030	4.8 (33)	7.8(124)	10.9 (23)	464	16.2 (50)	15.7 (63)	649 15.7(118)
Daviess Co	2,436	6.9 (6)	7.7(131)	8,524	9.0(133)	3.5 (22)	15.0(100)	3,174	18.7(107)	16.1 (70)	5,083 11.5 (77)
Dixie	2,006	10.4 (87)	6.6 (94)	6,503	7.1(103)	5.6 (67)	14.3 (83)	2,147	13.7 (16)	13.6 (32)	3,510 11.3 (76)
Edmonson C	287	7.3 (14)	4.9 (38)	1,319	3.6 (13)	6.1 (79)	10.9 (23)	563	18.3(102)	15.6 (60)	845 4.7 (12)
Elliott Ct	272	9.6 (63)	4.4 (15)	1,193	3.2 (9)	8.9(136)	11.7 (34)	571	18.9(109)	15.6 (60)	771 24.8(150)
Estill Cty	474	10.5 (90)	5.1 (47)	2,116	5.4 (58)	4.3 (37)	12.1 (42)	955	18.1 (97)	18.4(105)	1,477 7.8 (45)
Etown	1,360	9.4 (58)	5.8 (71)	5,183	9.7(141)	3.0 (9)	16.0(119)	1,918	17.4 (72)	15.4 (55)	3,319 6.7 (35)
Evarts	146	12.3 (134)	6.8(101)	691	4.2 (21)	6.8(102)	14.5 (88)	317	16.1 (48)	19.2(119)	438 1.8 (2)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Fairdale	963	10.1 (74)	7.3 (119)	3,226	5.5 (64)	4.6 (44)	14.1 (80)	1,034	17.3 (70)	14.0 (36)		1,915	11.7 (81)
Fleming Co	438	11.6 (117)	8.9 (145)	1,865	6.6 (94)	8.6 (134)	15.0 (100)	901	14.4 (19)	16.1 (70)		1,321	14.8 (109)
Floyd Cty	964	11.4 (110)	4.4 (15)	3,584	7.7 (122)	6.3 (86)	13.6 (68)	1,517	13.7 (16)	16.6 (78)		2,358	9.3 (57)
Foust Hlth	146	10.3 (80)	6.8 (101)	779	6.7 (97)	3.5 (22)	16.6 (127)	407	17.7 (86)	20.1 (129)		620	20.8 (141)
Franklin C	1,159	11.4 (110)	4.4 (15)	4,142	10.6 (147)	5.8 (70)	16.1 (121)	1,425	21.8 (146)	21.4 (138)		2,488	19.3 (138)
Ft Campbel	1,745	6.8 (5)	10.0 (149)	7,962	3.2 (9)	9.4 (139)	6.3 (2)	3,309	9.3 (4)	5.5 (1)		5,088	25.8 (152)
Fulton	157	13.4 (144)	5.7 (69)	672	6.4 (86)	5.8 (70)	17.3 (133)	320	18.1 (97)	17.8 (98)		466	18.0 (130)
Gallatin C	344	7.0 (10)	6.7 (97)	1,384	5.4 (58)	7.4 (117)	15.7 (111)	547	19.2 (118)	20.3 (131)		950	18.0 (130)
Garrard Ct	474	10.5 (90)	5.1 (47)	1,938	7.2 (107)	5.1 (54)	13.9 (75)	858	14.6 (22)	17.6 (94)		1,247	15.1 (113)
Grant Cty	831	10.0 (72)	7.3 (119)	3,704	4.3 (26)	5.5 (63)	10.4 (16)	1,591	17.7 (86)	11.8 (13)		2,643	9.8 (59)
Graves Cty	1,155	7.4 (15)	6.9 (105)	4,505	5.0 (41)	7.6 (120)	15.0 (100)	1,937	20.0 (129)	17.3 (86)		2,887	18.3 (133)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)			Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Grayson Ct	734	10.1 (74)	6.0 (78)	3,388	7.4(116)	5.5 (63)	13.4 (64)	1,587	17.2 (66)	15.1 (48)		2,426	4.1 (9)
Green Cty	334	8.4 (31)	6.3 (86)	1,402	5.3 (53)	3.6 (26)	13.0 (53)	626	19.0(111)	16.6 (78)		914	12.9 (95)
Greenup	731	10.0 (72)	4.9 (38)	2,694	3.7 (16)	12.4(157)	11.0 (25)	1,067	14.8 (29)	17.5 (93)		1,608	6.0 (25)
Hancock Ct	178	10.1 (74)	5.6 (62)	864	7.2(107)	2.5 (4)	14.8 (97)	404	24.5(152)	16.1 (70)		632	6.2 (27)
Harlan Cty	857	10.3 (80)	9.2(147)	3,205	5.4 (58)	8.9(136)	15.3(106)	1,396	20.3(136)	23.1(148)		1,799	8.9 (54)
Harrison C	547	11.9(127)	3.8 (13)	2,053	5.6 (66)	5.2 (57)	12.3 (46)	851	15.5 (36)	13.5 (30)		1,295	10.0 (63)
Hart Cty H	513	8.8 (41)	7.6(129)	2,097	3.9 (18)	6.3 (86)	12.1 (42)	893	16.1 (48)	17.7 (96)		1,376	8.4 (52)
Henderson	1,305	13.0(139)	3.4 (7)	4,638	6.1 (80)	8.6(134)	9.4 (5)	1,707	14.7 (25)	16.6 (78)		2,623	2.6 (4)
Henry Coun	380	7.6 (17)	8.4(136)	1,432	11.2(149)	6.2 (83)	18.6(139)	581	19.1(112)	17.0 (84)		968	16.7(124)
Hickman	128	14.8(147)	4.7 (31)	552	7.8(123)	6.7(100)	17.0(130)	253	18.6(105)	17.4 (89)		385	26.0(153)
Hickman Ct	127	3.1 (1)	7.1(113)	464	6.5 (91)	8.0(128)	19.0(143)	175	22.3(148)	26.9(155)		308	15.6(116)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Highview	1,240	10.1 (74)	5.6 (62)	4,578	7.6(119)	5.6 (67)	14.7 (93)	1,718	13.0 (12)	10.8 (9)		2,704	19.2 (137)
Hindman	553	16.5 (149)	3.1 (3)	2,116	13.0(155)	3.5 (22)	22.6(156)	949	16.2 (50)	22.6(145)		1,595	6.3 (30)
Hopkins Ct	1,360	10.4 (87)	6.0 (78)	5,342	9.0(133)	2.7 (5)	14.7 (93)	2,110	19.1(112)	17.4 (89)		3,615	9.8 (59)
Hospital	3,537	7.6 (17)	5.6 (62)	3,191	0.6 (1)	11.7(154)	2.4 (1)	0	*	*	*	1	*
Iroquois	1,811	10.3 (80)	6.4 (91)	6,687	3.6 (13)	4.6 (44)	12.6 (49)	2,507	17.9 (92)	13.2 (25)		4,317	15.4 (115)
Jackson Ct	459	8.9 (44)	8.5 (139)	1,982	4.3 (26)	5.1 (54)	14.6 (91)	935	15.7 (41)	19.0(117)		1,454	4.8 (14)
Jessamine	1,310	7.8 (20)	6.6 (94)	4,980	5.8 (71)	6.4 (92)	9.9 (11)	1,904	15.3 (33)	11.8 (13)		3,013	14.7 (108)
Johnson Co	847	11.7 (120)	4.5 (21)	3,357	6.4 (86)	6.4 (92)	17.8(136)	1,569	17.2 (66)	19.6(126)		2,264	16.9 (126)
JT Arnett	56	*	*	354	2.8 (7)	3.7 (28)	20.9(151)	197	14.7 (25)	19.3(122)		258	4.3 (10)
Kenton Cty	1,684	11.0 (100)	6.8 (101)	8,369	7.1(103)	5.5 (63)	13.0 (53)	2,912	19.1(112)	18.3(103)		5,059	13.8 (104)
Knox Cty	1,159	9.7 (65)	6.5 (93)	5,109	4.2 (21)	6.8(102)	15.1(104)	2,348	17.5 (78)	21.0(136)		3,581	7.8 (45)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
L & N	1,554	13.2 (141)	4.4 (15)	5,473	5.4 (58)	6.4 (92)	13.0 (53)	1,816	19.2(118)	16.1 (70)	3,302 12.9 (95)
Larue Cty	417	11.3 (106)	8.4 (136)	1,678	6.4 (86)	2.9 (7)	19.2(145)	735	18.0 (95)	17.8 (98)	1,217 18.9 (136)
Laurel Cty	1,572	9.4 (58)	9.4 (148)	6,116	4.8 (33)	7.7(122)	14.0 (79)	2,453	18.9(109)	18.5(108)	3,824 6.7 (35)
Lawrence C	536	18.8 (152)	3.4 (7)	2,068	7.2(107)	9.1(138)	16.2(123)	874	17.4 (72)	21.6(139)	1,353 10.5 (67)
Lee Cty He	191	8.9 (44)	5.8 (71)	1,048	3.6 (13)	5.3 (58)	10.8 (22)	523	12.6 (10)	10.1 (7)	767 10.0 (63)
Leslie Cty	395	8.4 (31)	7.1 (113)	1,792	4.2 (21)	9.9(145)	14.7 (93)	827	12.1 (9)	12.9 (22)	1,291 12.9 (95)
Letcher Ct	791	12.5 (136)	4.4 (15)	2,885	11.9(151)	2.0 (2)	19.0(143)	1,091	20.0(129)	19.5(125)	1,838 2.0 (3)
Lewis Cty	453	9.1 (51)	4.4 (15)	1,914	5.5 (64)	10.3(147)	13.9 (75)	864	13.5 (14)	16.4 (75)	1,211 5.9 (24)
Lex-Fay40C	2,031	8.1 (23)	6.9 (105)	7,343	6.0 (76)	6.0 (78)	15.7(111)	2,755	20.0(129)	23.8(150)	4,407 24.4 (149)
Lex-Fay40D	1,145	12.8 (138)	5.2 (52)	3,780	6.1 (80)	7.6(120)	9.9 (11)	1,284	17.3 (70)	12.1 (16)	1,966 27.0 (154)
Lex-Fay40F	507	11.4 (110)	6.3 (86)	1,749	7.1(103)	7.8(124)	10.6 (19)	633	19.1(112)	14.1 (39)	892 23.1 (146)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 9
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Lex-Fay40G	741	11.7 (120)	6.2 (83)	2,699	6.7 (97)	6.9 (107)	14.9 (98)	1,021	19.9 (128)	22.3 (143)	1,546 27.4 (155)
Lex-Fay40J	615	9.8 (66)	5.4 (58)	2,287	6.4 (86)	6.1 (79)	9.7 (7)	902	18.1 (97)	12.4 (20)	1,334 23.8 (148)
Lex-Fay40W	764	8.2 (26)	7.2 (117)	2,803	15.5 (157)	7.1 (110)	13.4 (64)	1,062	18.6 (105)	19.2 (119)	513 25.3 (151)
Lincoln Ct	699	9.6 (63)	6.9 (105)	2,832	5.1 (50)	6.3 (86)	14.5 (88)	1,168	17.4 (72)	16.0 (68)	1,942 11.5 (77)
Livingston	203	6.9 (6)	5.9 (74)	929	7.0 (101)	3.2 (16)	20.0 (148)	440	20.9 (140)	12.3 (18)	703 4.6 (11)
Logan Cty	689	9.1 (51)	4.5 (21)	2,637	5.7 (69)	6.4 (92)	13.7 (70)	993	19.1 (112)	18.7 (114)	1,552 21.4 (143)
Lynch	237	16.9 (150)	4.6 (28)	932	5.3 (53)	7.2 (113)	10.5 (18)	424	17.5 (78)	15.8 (65)	626 13.9 (105)
Lyon Cty	156	7.1 (12)	7.7 (131)	599	10.5 (146)	3.2 (16)	21.9 (153)	243	22.6 (149)	19.8 (128)	426 6.3 (30)
Magoffin C	461	13.2 (141)	4.8 (35)	1,991	10.9 (148)	5.1 (54)	21.9 (153)	974	23.0 (151)	25.5 (154)	1,260 13.3 (99)
Marion Cty	628	9.9 (69)	7.6 (129)	2,454	8.8 (131)	3.6 (26)	18.5 (138)	1,008	17.6 (80)	18.6 (110)	1,610 6.6 (34)
Marshal90A	686	7.7 (19)	6.9 (105)	2,699	12.2 (152)	7.5 (119)	14.2 (81)	1,176	10.6 (5)	8.9 (5)	1,699 12.1 (85)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 10
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)													
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Marshal90B	42	* *	* *	217	12.4(153)	3.7 (28)	20.7(150)	110	28.2(155)	21.8(140)		155	14.8 (109)
Martin Cty	474	12.4 (135)	4.6 (28)	2,119	7.9(125)	6.5 (98)	16.8(129)	969	17.6 (80)	20.9(135)		1,517	9.2 (56)
Mason Cty	598	10.9 (99)	7.0 (112)	1,981	9.3(136)	8.2(131)	15.9(118)	687	16.0 (43)	16.0 (68)		1,180	16.2 (121)
McCracken	1,620	9.9 (69)	5.6 (62)	5,793	6.3 (84)	4.9 (48)	18.8(141)	2,446	16.3 (54)	13.9 (34)		4,086	12.2 (87)
McCreary C	680	10.6 (95)	5.3 (54)	3,154	7.3(112)	5.8 (70)	13.3 (61)	1,532	18.3(102)	20.1(129)		2,290	7.9 (48)
McLean Ct	266	10.5 (90)	6.0 (78)	1,168	11.3(150)	4.0 (35)	13.7 (70)	513	17.9 (92)	17.9(101)		802	1.0 (1)
Meade Cty	543	9.2 (53)	10.7 (151)	2,311	8.6(130)	4.5 (42)	15.8(117)	946	16.3 (54)	13.5 (30)		1,584	11.6 (80)
Menifee Ct	239	11.3 (106)	6.7 (97)	1,063	5.4 (58)	6.9(107)	11.6 (31)	530	17.4 (72)	13.2 (25)		695	11.2 (74)
Mercer Cty	544	11.6 (117)	5.1 (47)	2,253	7.6(119)	3.5 (22)	13.0 (53)	1,022	15.6 (38)	15.5 (59)		1,615	8.1 (50)
Metcalfe C	258	8.9 (44)	5.8 (71)	1,186	2.8 (7)	7.3(115)	11.4 (29)	538	13.0 (12)	14.9 (46)		788	12.7 (93)
Middletown	1,062	8.7 (38)	7.5 (126)	3,846	5.0 (41)	5.3 (58)	11.9 (36)	1,312	16.5 (57)	12.3 (18)		2,270	13.7 (103)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Monroe Cnt	321	7.8 (20)	7.5 (126)	1,358	5.9 (72)	6.8 (102)	19.4 (147)	591	17.4 (72)	24.9 (151)	894 4.0 (7)
Montgomery	894	10.5 (90)	7.4 (124)	3,547	7.3 (112)	3.9 (34)	13.7 (70)	1,446	15.6 (38)	16.5 (77)	2,442 8.5 (53)
Morgan Cty	376	8.0 (22)	9.0 (146)	1,851	4.4 (30)	6.2 (83)	12.3 (46)	880	17.2 (66)	17.7 (96)	1,219 16.9 (126)
Muhlenberg	860	8.6 (35)	8.1 (135)	3,348	5.3 (53)	5.4 (61)	12.0 (38)	1,356	16.0 (43)	15.2 (51)	2,012 7.9 (48)
Neighborhood	1,065	11.7 (120)	7.3 (119)	3,807	4.9 (37)	8.0 (128)	9.7 (7)	1,327	15.4 (34)	12.0 (15)	2,220 6.4 (32)
Nelson Cty	984	12.1 (130)	4.7 (31)	3,986	9.4 (138)	5.4 (61)	13.6 (68)	1,570	14.8 (29)	12.9 (22)	2,545 11.9 (84)
Newburg	1,767	12.1 (130)	6.3 (86)	5,918	4.9 (37)	11.0 (151)	12.1 (42)	1,953	6.9 (1)	6.7 (2)	3,502 16.6 (123)
Nicholas C	223	17.5 (151)	6.3 (86)	920	5.0 (41)	9.8 (143)	11.1 (26)	409	8.1 (2)	8.6 (4)	610 16.4 (122)
Oasis Hlth	104	13.5 (145)	8.7 (142)	595	9.7 (141)	2.9 (7)	13.9 (75)	337	13.6 (15)	13.4 (29)	445 20.9 (142)
Ohio Cty	843	7.1 (12)	6.3 (86)	3,372	6.0 (76)	3.4 (20)	11.1 (26)	1,407	16.7 (60)	15.8 (65)	2,278 5.0 (16)
Oldham Cty	628	8.3 (28)	4.5 (21)	2,549	9.5 (139)	1.4 (1)	17.5 (134)	1,061	17.8 (90)	15.6 (60)	1,524 9.9 (62)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Page: 12
Run Date: 5 / 11 / 09

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Olive Hill	429	7.0 (10)	4.7 (31)	1,905	3.9 (18)	7.9(126)	13.3 (61)	857	16.3 (54)	16.7 (83)	1,221 15.6 (116)
Owen Cty	253	11.1 (101)	3.6 (10)	1,044	4.3 (26)	7.1(110)	13.1 (57)	431	20.0(129)	18.6(110)	738 13.4 (100)
Owsley Cty	167	10.8 (97)	4.8 (35)	819	7.3(112)	3.3 (19)	26.4(158)	460	22.6(149)	25.4(153)	662 12.4 (90)
Park Duval	1,350	15.6 (148)	4.3 (14)	5,416	7.2(107)	6.2 (83)	13.1 (57)	2,159	16.0 (43)	15.4 (55)	3,659 12.2 (87)
Pendleton	337	8.9 (44)	5.0 (45)	1,304	7.6(119)	6.3 (86)	12.2 (45)	505	20.2(135)	16.2 (74)	848 12.1 (85)
Perry Cty	986	12.0 (129)	5.6 (62)	3,811	10.1(144)	2.1 (3)	25.2(157)	1,575	19.6(127)	23.0(147)	2,435 10.8 (71)
Perry Prenatal	3	* *	* *	3	* *	* *	* *	0	* *	* *	0 * *
Phelps	125	8.8 (41)	3.2 (4)	560	1.3 (2)	9.6(140)	10.7 (21)	215	14.4 (19)	14.4 (42)	336 8.3 (51)
Pike Cty	1,377	12.6 (137)	4.9 (38)	5,137	2.2 (6)	12.1(156)	10.0 (13)	1,917	11.2 (6)	11.3 (12)	3,153 7.7 (44)
Portland	1,064	11.7 (120)	3.7 (12)	3,910	6.5 (91)	5.6 (67)	13.3 (61)	1,430	18.7(107)	13.8 (33)	2,311 23.6(147)
Powell Cty	466	10.3 (80)	5.2 (52)	2,036	4.9 (37)	3.8 (33)	14.4 (87)	944	19.2(118)	19.0(117)	1,478 5.4 (19)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)															
Clinic	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pulaski Ct	1,859	9.8 (66)	5.4 (58)		7,409	3.4 (11)	6.6 (99)	8.3 (4)		2,908	16.2 (50)	11.1 (11)		4,610	5.8 (23)
Radcliffe	1,472	8.6 (35)	5.4 (58)		6,012	5.6 (66)	3.7 (28)	10.6 (19)		2,394	16.5 (57)	12.1 (16)		3,997	11.1 (73)
Richmond	1,470	8.7 (38)	5.3 (54)		5,103	5.0 (41)	8.4(133)	9.7 (7)		1,819	18.3(102)	15.8 (65)		3,188	10.6 (68)
Robertson	99	* *	* *		405	6.2 (82)	7.7(122)	11.6 (31)		190	20.0(129)	14.7 (44)		283	6.7 (35)
Rockcastle	570	8.6 (35)	5.4 (58)		2,419	6.4 (86)	5.8 (70)	15.3(106)		1,121	19.2(118)	17.4 (89)		1,720	6.9 (40)
Rowan Cty	671	6.6 (4)	12.1 (152)		2,586	3.9 (18)	7.4(117)	12.5 (48)		1,026	14.7 (25)	16.6 (78)		1,674	7.8 (45)
Russell Ct	597	8.2 (26)	4.9 (38)		2,334	9.6(140)	6.4 (92)	14.3 (83)		958	21.3(143)	20.5(132)		1,464	5.5 (20)
Scott Cty	939	8.5 (34)	6.9 (105)		3,408	7.5(117)	3.7 (28)	18.8(141)		1,239	14.6 (22)	17.4 (89)		2,102	11.7 (81)
Shelby Cty	926	6.9 (6)	8.4 (136)		3,252	12.7(154)	3.4 (20)	22.5(155)		1,322	18.2(101)	21.3(137)		2,221	14.3 (106)
Simpson Ct	495	8.1 (23)	7.1 (113)		1,777	5.7 (69)	6.8(102)	11.5 (30)		637	16.0 (43)	14.0 (36)		1,044	16.9 (126)
South Shor	133	8.3 (28)	5.3 (54)		664	4.2 (21)	9.9(145)	14.6 (91)		331	17.2 (66)	18.4(105)		431	5.6 (21)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Spencer Ct	304	9.9 (69)	5.9 (74)	1,183	8.5(127)	4.3 (37)	16.7(128)	462	14.9 (31)	17.3 (86)	733 15.1 (113)
TAPP-South	79	* *	* *	227	23.8(158)	7.9(126)	14.5 (88)	15	* *	* *	100 23.0 (145)
TAPP-West	97	* *	* *	251	6.0 (76)	13.9(158)	12.0 (38)	27	* *	* *	95 * *
Taylor Cty	733	7.5 (16)	7.8 (133)	2,640	5.0 (41)	3.7 (28)	12.0 (38)	1,078	16.8 (62)	14.2 (41)	1,606 6.7 (35)
Todd Cty H	379	11.1 (101)	4.5 (21)	1,634	9.7(141)	5.0 (52)	17.9(137)	742	17.7 (86)	15.4 (55)	1,191 12.3 (89)
Trigg Cty	339	11.2 (104)	5.9 (74)	1,355	8.0(126)	3.0 (9)	15.1(104)	614	19.1(112)	13.2 (25)	958 6.8 (39)
Trimble Ct	237	8.9 (44)	5.1 (47)	899	7.3(112)	11.3(153)	16.5(126)	365	17.0 (64)	18.4(105)	610 19.8 (139)
Union Cty	418	11.5 (114)	4.8 (35)	1,587	9.1(135)	3.0 (9)	11.6 (31)	618	15.2 (32)	13.9 (34)	1,055 5.2 (17)
Wallins	55	* *	* *	281	5.0 (41)	11.7(154)	15.7(111)	156	16.7 (60)	19.2(119)	193 5.2 (17)
Washington	263	6.1 (2)	8.7 (142)	1,242	9.3(136)	4.2 (36)	16.2(123)	608	19.2(118)	16.6 (78)	821 7.3 (41)
Wayne Cty	695	8.1 (23)	4.7 (31)	3,020	3.8 (17)	5.5 (63)	13.4 (64)	1,377	18.0 (95)	17.8 (98)	2,037 9.8 (59)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Clinic
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Clinic (3,4)											
Clinic	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Webster Ct	366	9.8 (66)	3.6 (10)	1,480	13.2(156)	3.1 (14)	20.5(149)	577	20.1(134)	17.9(101)	1,039 4.0 (7)
Wheelbrigh	241	13.3 (143)	3.3 (5)	968	1.7 (3)	9.7(142)	10.0 (13)	477	12.6 (10)	15.1 (48)	642 10.1 (65)
Whitley Prenatal	11	* *	* *	11	* *	* *	* *	0	* *	* *	0 * *
Williamsbu	865	9.4 (58)	4.9 (38)	3,539	5.9 (72)	9.6(140)	15.7(111)	1,607	21.5(144)	22.8(146)	2,579 11.5 (77)
Wolfe Cty	345	8.7 (38)	7.5(126)	1,618	5.9 (72)	3.0 (9)	17.1(132)	815	19.3(125)	18.5(108)	1,155 9.4 (58)
Woodford C	477	11.5 (114)	8.6(141)	2,043	8.8(131)	3.2 (16)	14.9 (98)	887	14.7 (25)	15.3 (53)	1,317 14.8(109)
Unknown Clinics	8	* *	* *	26	* *	* *	* *	16	* *	* *	22 * *
Kentucky	113,809	10.1	6.1	434,224	6.3	6.1	13.7	173,726	16.9	16.2	273,939 12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 1
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Adair Coun	587	33.4(106)	392	6.4 (82)	284	3.9 (80)	0	* *	0	* *	839	95.4 (70)	1,160	24.6 (60)
Allen Coun	707	46.7 (21)	451	10.0 (26)	383	5.5 (40)	0	* *	0	* *	1,105	87.9(141)	1,380	36.2 (90)
Anderson C	516	47.5 (16)	342	7.3 (70)	242	4.1 (75)	0	* *	0	* *	694	84.9(153)	976	24.7 (61)
Ashland-Bo	1,593	34.8 (95)	1,052	8.4 (49)	721	7.5 (21)	0	* *	0	* *	1,969	96.3 (52)	3,026	22.8 (55)
Ballard Co	233	38.2 (69)	147	12.9 (17)	115	6.1 (32)	0	* *	0	* *	355	96.9 (42)	480	47.9 (126)
Bar-Riv-Wa	3,061	47.1 (18)	1,997	10.3 (23)	1,340	6.3 (28)	0	* *	0	* *	3,573	92.7(102)	5,767	26.6 (68)
Barren Cty	1,542	36.6 (80)	990	7.7 (61)	745	5.1 (51)	0	* *	0	* *	2,006	91.2(119)	2,892	33.6 (82)
Bath Count	472	20.1(142)	322	5.6 (98)	242	3.7 (91)	0	* *	0	* *	763	97.8 (31)	953	37.6 (95)
Belfry	397	16.4(149)	266	1.5 (148)	176	1.1 (140)	0	* *	0	* *	608	88.8(132)	844	70.5 (153)
Bell Cty M	609	18.2(148)	413	3.9 (126)	354	2.3 (117)	0	* *	0	* *	1,311	96.9 (42)	1,396	21.8 (53)
Bell Cty P	753	24.6(129)	468	3.4 (134)	412	0.5 (145)	0	* *	0	* *	1,444	99.3 (16)	1,589	32.9 (81)
Berea	639	47.1 (18)	415	8.7 (43)	305	7.5 (21)	0	* *	0	* *	870	97.5 (34)	1,240	19.7 (50)
Betsy Lane	459	14.2(153)	281	1.8 (145)	232	1.7 (130)	0	* *	0	* *	934	99.3 (16)	964	69.0 (151)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 2
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Boone Coun	2,416	34.9 (93)	1,693	9.2 (39)	1,163	6.7 (26)	0	* *	0	* *	3,225	96.9 (42)	4,988	32.0 (78)
Bourbon Ct	675	44.7 (31)	420	6.0 (90)	330	3.3 (98)	0	* *	0	* *	739	94.0 (88)	1,212	6.3 (30)
Boyle Coun	800	22.5(137)	494	7.5 (67)	341	4.7 (58)	0	* *	0	* *	1,008	96.7 (47)	1,560	33.6 (82)
Bracken Co	327	27.8(120)	212	4.2 (123)	147	1.4 (135)	0	* *	0	* *	407	85.3(150)	644	57.3 (143)
Breathitt	589	18.8(147)	416	3.8 (129)	327	1.2 (139)	0	* *	0	* *	1,173	91.3(116)	1,333	55.9 (141)
Breckinrid	571	35.4 (89)	364	11.3 (19)	275	8.0 (19)	0	* *	0	* *	966	85.8(147)	1,200	2.3 (23)
Bridges	597	42.9 (36)	457	10.5 (22)	328	6.1 (32)	0	* *	0	* *	844	92.7(102)	1,261	14.2 (39)
Bullitt Co	1,680	36.1 (84)	1,063	5.9 (92)	812	3.7 (91)	0	* *	0	* *	1,875	93.2 (99)	3,071	35.1 (85)
Butler Cty	449	33.6(103)	318	4.7 (118)	248	2.0 (122)	0	* *	0	* *	789	90.7(124)	934	23.4 (56)
C & Y	1,797	35.1 (91)	1,132	4.0 (124)	593	2.7 (107)	0	* *	0	* *	1,702	100. (1)	3,199	0.1 (4)
Caldwell C	483	42.4 (39)	310	5.2 (108)	247	2.8 (106)	0	* *	0	* *	654	88.5(137)	919	38.5 (97)
Calloway C	1,039	59.5 (6)	685	15.8 (10)	561	8.9 (14)	0	* *	0	* *	1,396	94.2 (84)	2,030	16.2 (42)
Campbell C	1,885	27.9(119)	1,381	5.5 (102)	928	5.2 (48)	0	* *	0	* *	2,453	95.3 (75)	3,780	13.3 (36)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 3
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Carlisle C	184	47.8 (15)	109	5.5 (102)	92	* *	0	* *	0	* *	343	95.9 (57)	385	42.3 (110)
Carroll Ct	551	34.5 (99)	318	8.2 (52)	252	7.1 (25)	0	* *	0	* *	738	95.5 (68)	1,103	43.1 (112)
Carter Cty	711	37.1 (76)	495	9.7 (27)	359	4.5 (64)	0	* *	0	* *	1,187	84.5 (154)	1,484	50.6 (131)
Casey Cty	514	38.9 (65)	363	8.0 (56)	267	6.0 (36)	0	* *	0	* *	922	95.6 (66)	1,112	48.4 (127)
Christian	2,344	37.2 (75)	1,638	7.2 (72)	1,017	5.2 (48)	0	* *	0	* *	2,774	88.8 (132)	4,537	40.9 (105)
Clark Coun	1,145	41.2 (49)	807	9.5 (32)	569	4.9 (53)	0	* *	0	* *	1,414	95.7 (65)	2,144	2.9 (24)
Clay Cty H	1,059	22.7 (135)	692	3.9 (126)	560	3.0 (103)	0	* *	0	* *	1,899	96.3 (52)	2,175	83.0 (157)
Clinton Ct	508	19.7 (146)	342	2.6 (143)	271	2.2 (118)	0	* *	0	* *	869	95.4 (70)	1,023	39.4 (101)
Corbin	1,213	20.0 (144)	790	5.1 (109)	574	3.1 (100)	0	* *	0	* *	1,852	100. (1)	2,453	13.5 (37)
Crittenden	287	33.4 (106)	194	0.5 (149)	164	0.6 (144)	0	* *	0	* *	443	92.3 (111)	565	17.5 (46)
Cumberland	278	22.3 (139)	197	2.5 (144)	165	1.8 (126)	0	* *	0	* *	512	95.9 (57)	569	44.6 (118)
Daviess Co	2,814	34.1 (100)	1,776	5.6 (98)	1,204	3.9 (80)	0	* *	0	* *	3,448	95.0 (79)	5,484	31.1 (77)
Dixie	2,330	40.9 (51)	1,570	8.7 (43)	1,006	4.2 (71)	0	* *	0	* *	2,193	95.8 (61)	4,186	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 4
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Edmonson C	381	43.3 (34)	283	9.5 (32)	153	3.9 (80)	0	* *	0	* *	611	85.4 (149)	817	41.9 (107)
Elliott Ct	326	24.5 (131)	236	5.1 (109)	174	4.0 (77)	0	* *	0	* *	634	94.8 (80)	686	32.2 (80)
Estill Cty	567	28.9 (116)	376	4.8 (116)	277	3.6 (95)	0	* *	0	* *	1,050	93.0 (101)	1,222	27.3 (70)
Etown	1,707	34.9 (93)	1,090	5.8 (93)	781	4.5 (64)	0	* *	0	* *	2,078	96.7 (47)	3,321	28.6 (72)
Evarts	106	7.5 (155)	92	* *	85	* *	0	* *	0	* *	359	94.2 (84)	370	18.4 (48)
Fairdale	1,220	35.1 (91)	818	7.1 (73)	569	4.2 (71)	0	* *	0	* *	1,140	89.9 (125)	2,152	0.3 (7)
Fleming Co	504	32.7 (108)	335	4.5 (120)	289	2.1 (121)	0	* *	0	* *	996	88.8 (132)	1,086	36.5 (91)
Floyd Cty	1,080	22.5 (137)	686	7.7 (61)	564	6.2 (31)	0	* *	0	* *	1,672	99.9 (8)	2,148	51.4 (133)
Foust Hlth	215	33.5 (105)	152	5.3 (107)	112	2.7 (107)	0	* *	0	* *	446	89.9 (125)	472	25.6 (64)
Franklin C	1,456	45.7 (25)	926	8.4 (49)	640	5.5 (40)	0	* *	0	* *	1,562	93.5 (96)	2,745	64.0 (149)
Ft Campbel	2,454	62.4 (4)	1,776	16.4 (8)	1,052	9.9 (9)	0	* *	0	* *	3,524	87.9 (141)	5,511	6.1 (29)
Fulton	192	40.6 (53)	120	3.3 (136)	106	1.9 (125)	0	* *	0	* *	351	91.5 (115)	431	54.8 (139)
Gallatin C	451	34.8 (95)	328	8.5 (48)	237	3.8 (84)	0	* *	0	* *	609	95.1 (78)	889	25.0 (62)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 5
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Garrard Ct	596	36.4 (81)	413	7.0 (74)	288	4.2 (71)	0	* *	0	* *	931	98.7 (24)	1,204	40.5 (103)
Grant Cty	1,103	39.0 (62)	799	6.9 (75)	651	2.9 (105)	0	* *	0	* *	1,763	93.5 (96)	2,361	55.1 (140)
Graves Cty	1,380	44.9 (28)	919	9.5 (32)	759	6.1 (32)	0	* *	0	* *	2,114	98.0 (30)	2,700	34.0 (84)
Grayson Ct	953	36.7 (78)	682	7.5 (67)	543	4.6 (62)	0	* *	0	* *	1,714	87.0(144)	2,022	49.5 (129)
Green Cty	417	42.4 (39)	281	9.3 (37)	230	6.1 (32)	0	* *	0	* *	687	88.2(139)	828	35.3 (86)
Greenup	863	36.7 (78)	553	6.1 (88)	385	4.2 (71)	0	* *	0	* *	1,167	97.4 (35)	1,718	25.6 (64)
Hancock Ct	237	42.2 (41)	163	13.5 (16)	113	5.3 (44)	0	* *	0	* *	436	90.8(122)	531	30.1 (74)
Harlan Cty	1,063	23.2(133)	613	3.9 (126)	491	3.7 (91)	0	* *	0	* *	1,535	97.8 (31)	1,928	20.1 (51)
Harrison C	659	41.6 (46)	454	9.3 (37)	337	5.0 (52)	0	* *	0	* *	942	97.3 (37)	1,289	31.0 (76)
Hart Cty H	641	39.8 (59)	443	7.9 (57)	316	4.7 (58)	0	* *	0	* *	964	94.1 (86)	1,277	35.5 (87)
Henderson	1,528	32.3(110)	904	3.7 (130)	602	3.2 (99)	0	* *	0	* *	1,844	96.4 (50)	2,943	40.6 (104)
Henry Coun	473	40.0 (57)	326	7.7 (61)	263	4.9 (53)	0	* *	0	* *	632	98.1 (29)	905	21.4 (52)
Hickman	166	31.9(111)	113	2.7 (141)	93	* *	0	* *	0	* *	270	88.5(137)	341	37.5 (94)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 6
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Hickman Ct	149	33.6(103)	91	* *	80	* *	0	* *	0	* *	194	97.4 (35)	287	38.3 (96)
Highview	1,605	57.5 (9)	1,106	16.7 (7)	709	11.8 (6)	0	* *	0	* *	1,858	88.8(132)	3,080	0.4 (12)
Hindman	631	22.2(140)	420	2.9 (139)	274	2.2 (118)	0	* *	0	* *	1,083	97.3 (37)	1,293	26.3 (67)
Hopkins Ct	1,717	40.1 (55)	1,095	8.1 (54)	742	4.0 (77)	0	* *	0	* *	2,290	88.9(131)	3,324	45.5 (121)
Hospital	2,494	38.9 (65)	380	5.5 (102)	133	5.3 (44)	0	* *	0	* *	0	* *	2,804	14.1 (38)
Iroquois	2,441	56.5 (10)	1,651	17.3 (6)	1,098	11.9 (5)	0	* *	0	* *	2,709	95.4 (70)	4,442	0.6 (16)
Jackson Ct	537	25.1(128)	368	5.7 (96)	300	3.0 (103)	0	* *	0	* *	1,026	98.4 (26)	1,160	47.2 (124)
Jessamine	1,697	44.9 (28)	1,154	14.7 (13)	758	9.6 (10)	0	* *	0	* *	2,085	95.8 (61)	3,265	27.1 (69)
Johnson Co	970	31.8(113)	590	5.6 (98)	485	4.7 (58)	0	* *	0	* *	1,710	99.6 (11)	1,981	37.4 (93)
JT Arnett	57	* *	49	* *	43	* *	0	* *	0	* *	222	95.5 (68)	184	45.7 (122)
Kenton Cty	2,971	38.0 (70)	2,189	5.6 (98)	1,302	3.8 (84)	0	* *	0	* *	3,132	97.0 (40)	5,772	51.6 (134)
Knox Cty	1,522	20.0(144)	1,023	3.0 (138)	727	1.0 (141)	0	* *	0	* *	2,578	96.1 (56)	3,277	0.9 (18)
L & N	2,069	40.1 (55)	1,400	9.6 (29)	842	4.4 (68)	0	* *	0	* *	2,004	89.8(127)	3,692	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 7
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
Larue Cty	526	42.8 (38)	374	6.7 (78)	288	3.8 (84)	0	* *	0	* *	804	91.3 (116)	1,052	16.5 (43)
Laurel Cty	1,927	37.8 (71)	1,256	7.6 (64)	875	3.8 (84)	0	* *	0	* *	2,706	96.3 (52)	3,809	59.9 (146)
Lawrence C	606	24.6(129)	417	6.5 (81)	318	2.5 (114)	0	* *	0	* *	976	99.3 (16)	1,241	17.8 (47)
Lee Cty He	270	26.3(126)	166	6.6 (80)	134	4.5 (64)	0	* *	0	* *	572	94.1 (86)	610	22.1 (54)
Leslie Cty	496	27.8(120)	360	6.7 (78)	256	4.3 (70)	0	* *	0	* *	944	99.4 (14)	1,056	5.2 (28)
Letcher Ct	902	37.4 (73)	588	6.3 (84)	349	4.0 (77)	0	* *	0	* *	1,201	90.9(120)	1,803	12.3 (33)
Lewis Cty	521	34.0(101)	339	5.0 (112)	303	2.0 (122)	0	* *	0	* *	973	92.7(102)	1,134	45.8 (123)
Lex-Fay40C	2,417	69.9 (1)	1,659	24.7 (2)	1,213	17.3 (3)	0	* *	0	* *	3,041	93.9 (90)	4,467	0.2 (6)
Lex-Fay40D	1,330	46.0 (24)	898	9.6 (29)	570	5.6 (38)	0	* *	0	* *	1,391	95.4 (70)	2,376	0.4 (12)
Lex-Fay40F	1,015	58.5 (7)	546	15.9 (9)	334	9.3 (11)	0	* *	0	* *	689	86.9(145)	1,344	0.1 (4)
Lex-Fay40G	882	54.0 (12)	579	10.2 (25)	411	5.6 (38)	0	* *	0	* *	1,127	96.3 (52)	1,713	0.3 (7)
Lex-Fay40J	470	60.0 (5)	402	15.2 (11)	258	9.3 (11)	0	* *	0	* *	978	90.8(122)	1,385	0.4 (12)
Lex-Fay40W	905	64.4 (3)	633	24.6 (3)	410	20.7 (2)	0	* *	0	* *	1,187	99.1 (20)	1,683	0.3 (7)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 8
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (4,5)										
	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Lincoln Ct	850	27.3(124)	600	4.0 (124)	477	1.3 (138)	0	* *	1,292	98.2 (28)
Livingston	246	46.7 (21)	170	7.6 (64)	155	3.9 (80)	0	* *	482	86.3(146)
Logan Cty	849	35.5 (87)	569	6.0 (90)	391	3.6 (95)	0	* *	1,090	98.3 (27)
Lynch	288	22.6(136)	154	3.2 (137)	120	1.7 (130)	0	* *	481	80.7(155)
Lyon Cty	184	47.3 (17)	125	9.6 (29)	109	1.8 (126)	0	* *	274	96.4 (50)
Magoffin C	531	15.8(150)	350	3.4 (134)	266	1.5 (133)	0	* *	1,078	99.8 (9)
Marion Cty	762	41.6 (46)	482	8.3 (51)	358	4.5 (64)	0	* *	1,109	98.9 (22)
Marshal90A	846	44.8 (30)	587	9.5 (32)	445	4.7 (58)	0	* *	1,262	87.4(143)
Marshal90B	47	* *	36	* *	31	* *	0	* *	123	95.9 (57)
Martin Cty	601	14.6(151)	339	2.7 (141)	278	1.4 (135)	0	* *	1,069	88.7(136)
Mason Cty	693	27.8(120)	396	4.3 (121)	317	2.2 (118)	0	* *	770	99.6 (11)
McCracken	1,899	44.5 (32)	1,260	9.7 (27)	938	5.4 (42)	0	* *	2,679	93.2 (99)
McCreary C	837	28.9(116)	610	4.3 (121)	450	2.0 (122)	0	* *	1,666	90.9(120)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 9
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
McLean Ct	320	29.7(115)	235	4.7 (118)	182	4.4 (68)	0	* *	0	* *	559	91.6(113)	716	47.8 (125)
Meade Cty	708	37.4 (73)	466	6.4 (82)	339	2.7 (107)	0	* *	0	* *	1,020	92.7(102)	1,437	29.9 (73)
Menifee Ct	271	39.9 (58)	179	5.0 (112)	145	4.8 (57)	0	* *	0	* *	584	96.9 (42)	601	24.5 (59)
Mercer Cty	630	42.1 (44)	409	8.6 (46)	320	5.3 (44)	0	* *	0	* *	1,105	93.7 (92)	1,337	55.9 (141)
Metcalfe C	308	36.0 (85)	224	5.8 (93)	169	4.1 (75)	0	* *	0	* *	583	91.3(116)	680	44.1 (117)
Middletown	1,397	58.1 (8)	921	14.8 (12)	663	8.9 (14)	0	* *	0	* *	1,412	98.9 (22)	2,593	0.0 (1)
Monroe Cnt	372	26.3(126)	239	2.9 (139)	202	2.5 (114)	0	* *	0	* *	677	100. (1)	779	32.1 (79)
Montgomery	1,110	34.8 (95)	759	7.6 (64)	552	4.9 (53)	0	* *	0	* *	1,585	92.7(102)	2,158	45.0 (119)
Morgan Cty	506	33.8(102)	351	14.0 (15)	266	8.6 (16)	0	* *	0	* *	939	99.7 (10)	1,101	25.2 (63)
Muhlenberg	1,016	27.6(123)	684	6.3 (84)	497	2.4 (116)	0	* *	0	* *	1,481	92.5(109)	2,013	54.4 (138)
Neighborho	1,380	52.3 (13)	939	21.5 (4)	607	14.8 (4)	0	* *	0	* *	1,441	92.6(107)	2,542	1.0 (19)
Nelson Cty	1,255	39.8 (59)	805	6.8 (76)	603	4.6 (62)	0	* *	0	* *	1,730	95.3 (75)	2,467	87.3 (158)
Newburg	2,266	56.2 (11)	1,489	17.4 (5)	979	10.8 (8)	0	* *	0	* *	2,147	93.3 (98)	4,072	1.5 (20)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 10
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Nicholas C	259	24.3(132)	166	1.8 (145)	132	0.8 (143)	0	* * *	0	* * *	461	85.2(151)	546	50.7 (132)
Oasis Hlth	139	36.0 (85)	97	* * *	70	* * *	0	* * *	0	* * *	365	92.6(107)	372	51.6 (134)
Ohio Cty	1,027	40.2 (54)	670	5.1 (109)	518	3.1 (100)	0	* * *	0	* * *	1,531	88.2(139)	2,062	43.2 (113)
Oldham Cty	787	51.7 (14)	501	11.8 (18)	416	11.1 (7)	0	* * *	0	* * *	1,148	95.3 (75)	1,621	76.1 (156)
Olive Hill	534	32.4(109)	391	8.2 (52)	316	5.4 (42)	0	* * *	0	* * *	949	94.8 (80)	1,147	43.3 (115)
Owen Cty	299	40.8 (52)	199	7.5 (67)	137	7.3 (24)	0	* * *	0	* * *	471	95.8 (61)	632	16.6 (44)
Owsley Cty	199	20.1(142)	130	6.2 (86)	107	0.9 (142)	0	* * *	0	* * *	500	99.4 (14)	463	50.1 (130)
Park Duval	1,782	41.0 (50)	1,272	14.5 (14)	846	8.6 (16)	0	* * *	0	* * *	2,356	100. (1)	3,641	0.0 (1)
Pendleton	417	42.2 (41)	283	5.7 (96)	184	2.7 (107)	0	* * *	0	* * *	560	91.6(113)	843	63.7 (148)
Perry Cty	1,213	31.9(111)	751	5.5 (102)	549	3.8 (84)	0	* * *	0	* * *	1,759	97.0 (40)	2,341	1.8 (21)
Perry Prenatal	1	* * *	1	* * *	1	* * *	0	* * *	0	* * *	0	* * *	4	* * *
Phelps	146	14.4(152)	111	3.6 (131)	62	* * *	0	* * *	0	* * *	234	85.0(152)	326	71.2 (155)
Pike Cty	1,697	26.5(125)	1,116	3.5 (132)	728	2.7 (107)	0	* * *	0	* * *	2,226	89.7(128)	3,323	69.2 (152)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 11
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Portland	1,346	42.2 (41)	913	6.2 (86)	583	3.8 (84)	0	* *	0	* *	1,546	92.4 (110)	2,549	0.5 (15)
Powell Cty	571	39.2 (61)	392	6.1 (88)	292	1.7 (130)	0	* *	0	* *	1,032	85.8 (147)	1,206	45.4 (120)
Pulaski Ct	2,308	42.9 (36)	1,575	7.9 (57)	1,020	3.8 (84)	0	* *	0	* *	3,222	96.9 (42)	4,603	41.9 (107)
Radcliffe	1,817	43.5 (33)	1,172	7.9 (57)	882	5.3 (44)	0	* *	0	* *	2,585	93.6 (93)	3,933	62.7 (147)
Richmond	1,751	36.3 (82)	1,157	10.3 (23)	830	8.0 (19)	0	* *	0	* *	1,981	95.6 (66)	3,168	38.8 (99)
Robertson	118	39.0 (62)	71	* *	60	* *	0	* *	0	* *	204	99.5 (13)	239	59.4 (145)
Rockcastle	675	35.3 (90)	427	8.9 (42)	331	6.3 (28)	0	* *	0	* *	1,227	95.8 (61)	1,401	3.4 (25)
Rowan Cty	810	43.1 (35)	544	9.0 (41)	378	3.7 (91)	0	* *	0	* *	1,143	89.6 (129)	1,579	9.2 (31)
Russell Ct	763	37.5 (72)	502	4.8 (116)	374	3.5 (97)	0	* *	0	* *	1,060	89.3 (130)	1,459	41.9 (107)
Scott Cty	1,213	42.1 (44)	847	9.4 (36)	553	6.5 (27)	0	* *	0	* *	1,380	95.9 (57)	2,264	42.4 (111)
Shelby Cty	1,108	64.8 (2)	713	29.9 (1)	588	25.3 (1)	0	* *	0	* *	1,482	93.8 (91)	2,135	4.6 (27)
Simpson Ct	634	31.7 (114)	396	9.1 (40)	272	6.3 (28)	0	* *	0	* *	694	99.1 (20)	1,170	43.2 (113)
South Shor	166	35.5 (87)	120	10.8 (21)	90	* *	0	* *	0	* *	353	99.2 (19)	409	27.4 (71)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 12
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Clinic	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Spencer Ct	359	37.0 (77)	254	8.7 (43)	209	8.1 (18)	0	* * *	0	* * *	514	94.0 (88)	699	2.1 (22)
TAPP-South	101	34.7 (98)	67	* * *	46	* * *	0	* * *	0	* * *	23	* * *	143	0.7 (17)
TAPP-West	119	47.1 (18)	82	* * *	50	* * *	0	* * *	0	* * *	29	* * *	175	0.0 (1)
Taylor Cty	849	38.4 (68)	548	7.3 (70)	430	4.9 (53)	0	* * *	0	* * *	1,186	95.4 (70)	1,642	38.9 (100)
Todd Cty H	489	41.5 (48)	338	6.8 (76)	260	1.5 (133)	0	* * *	0	* * *	821	100. (1)	1,025	18.9 (49)
Trigg Cty	405	46.4 (23)	266	8.6 (46)	200	7.5 (21)	0	* * *	0	* * *	658	93.6 (93)	853	36.8 (92)
Trimble Ct	279	36.2 (83)	177	7.9 (57)	139	5.8 (37)	0	* * *	0	* * *	392	92.1 (112)	577	15.4 (40)
Union Cty	508	38.6 (67)	310	5.8 (93)	223	3.1 (100)	0	* * *	0	* * *	676	98.5 (25)	989	43.5 (116)
Wallins	29	* * *	28	* * *	26	* * *	0	* * *	0	* * *	171	93.6 (93)	168	11.9 (32)
Washington	326	39.0 (62)	208	11.1 (20)	175	9.1 (13)	0	* * *	0	* * *	669	97.8 (31)	730	4.1 (26)
Wayne Cty	835	28.4(118)	579	5.0 (112)	440	2.7 (107)	0	* * *	0	* * *	1,514	94.5 (82)	1,736	65.4 (150)
Webster Ct	458	45.2 (27)	314	3.5 (132)	226	1.8 (126)	0	* * *	0	* * *	632	94.3 (83)	893	35.9 (89)
Wheelbrigh	263	14.1(154)	172	1.7 (147)	145	1.4 (135)	0	* * *	0	* * *	513	100. (1)	533	51.6 (134)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7A
2006 - 2008 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 13
Run Date: 5 / 11 / 09

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Clinic
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
Clinic	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Whitley Prenatal	2 * *	1 * *	0 * *	0 * *	0 * *	0 * *	7 * *
Williamsbu	1,015 22.8(134)	676 5.0 (112)	470 2.6 (113)	0 * *	0 * *	1,781 100. (1)	2,115 15.9 (41)
Wolfe Cty	388 21.6(141)	274 5.5 (102)	221 1.8 (126)	0 * *	0 * *	893 96.5 (49)	880 57.3 (143)
Woodford C	611 45.7 (25)	396 8.1 (54)	305 5.2 (48)	0 * *	0 * *	960 97.3 (37)	1,256 12.5 (34)
Unknown Clinics	12 * *	5 * *	4 * *	0 * *	0 * *	19 * *	16 * *
Kentucky	139,679 39.1	91,976 8.8	65,420 5.6	0 *	0 *	190,365 94.3	274,073 28.8

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this clinic's rate to other clinics. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.